


Design by **Benedito Design**



The photograph may not match the reference exactly. Please read the product description to identify the finish.



### TECHNICAL CHARACTERISTICS

Type:	Wall fixture
IP Protection degrees:	IP44
Lampholder:	1 x G5
Power (W):	G5 14
Voltage / Frequency:	220-240V/50-60Hz
Warranty (Years):	2
Units per box:	8
Net Weight (Kg):	0.785
EAN:	8435111079805,00




### MATERIALS / FINISHES

**Structure material:** Extruded aluminium  
**Structure finish:** Chrome

**Diffuser material:** Polycarbonate  
**Diffuser finish:** Matt opal

### GEAR


Gear included: Yes, electronic



Download photometric file .ldt /.ies

<b>Luminaria</b>		<b>Ensayo</b>		<b>Lámpara</b>	
Código	05-4357-21-M1	Código	05-4357-21-M1	Código	TL5 HE sup80 14W/840
Nombre	Aplicque 1x14W T5 difusor opal	Nombre	Aplicque 1x14W T5 difusor opal	Número	1
Familia	- LEDS-C4	Fecha	09-09-2010	Posición	Universal
Eficiencia	53.71%	Sist. de Coorden.	C-G	Flujo Total	1200.00 lm
Valor Máximo	128.78 cd	Posición	C=0.00 G=0.00	Bisimétrico	

580mm x 70mm



Semiplanos C

180.0 ——— 0.0  
270.0 ——— 90.0

