





The photograph may not match the reference exactly. Please read the product description to identify the finish.



Download photometric file .ldt /.ies

### TECHNICAL CHARACTERISTICS

Type:	Wall fixture
IP Protection degrees:	IP44
Lampholder:	1 x G5
Power (W):	G5 8
Total power consumption (W):	7.7
Voltage / Frequency:	220-240V/50-60Hz
Warranty (Years):	2
Units per box:	8
Net Weight (Kg):	0.51
EAN:	8435111079867,00



### MATERIALS / FINISHES

**Structure material:** Extruded aluminium  
**Structure finish:** Chrome

**Diffuser material:** Polycarbonate  
**Diffuser finish:** Matt opal


### GEAR

Gear included: Yes, electronic

<b>Luminaria</b>		<b>Ensayo</b>		<b>Lámpara</b>	
Código	05-4376-21-M1	Código	448-CR	Código	TL MiniS80p 8W/840
Nombre	Aplique 1x8W T5 difusor opal	Nombre	Aplique 1x14W T5 difusor opal	Número	1
Familia	- LEDS-C4	Fecha	31-03-2009	Posición	Universal
Eficiencia	43.37%	Sist. de Coorden.	C-G	Flujo Total	470.00 lm
Valor Máximo	32.65 cd	Posición	C=0.00 G=60.00	Bisimétrico	

320mm x 38mm

Semiplanos C



180.0 ——— 0.0  
270.0 ——— 90.0

