


OUT 

DELFO
05-9469-34-T2

Design by **Benedito Design**



The photograph may not match the reference exactly. Please read the product description to identify the finish.




DESCRIPTION

Curved design light for lighting vertical surfaces. Body produced in high grade injected aluminium and comes complete with a frosted glass diffuser. Available in two sizes, and finished in light grey or dark grey. Light source uses one or two GX24d-3 26W fluorescent lamps depending on the model (not supplied). Includes BAG electronic fittings. Reflector accessory included.

TECHNICAL CHARACTERISTICS

Type:	Wall fixture
IP Protection degrees:	IP65
IK Protection degrees:	IK04
Lampholder:	2 x G24q3
Power (W):	G24q3 26W
Voltage / Frequency:	230V/50-60Hz
Warranty (Years):	2
Units per box:	2
Net Weight (Kg):	2.68
EAN:	8435111081815




MATERIALS / FINISHES




Structure material:	High purity aluminium	Diffuser material:	Glass
Structure finish:	Grey	Diffuser finish:	Sandblasted

GEAR

Gear included: Yes, electronic




Download photometric file .ldt /.ies



ALUMINIO INYECTADO
INJECTED ALUMINIUM

CRISTAL ARENADO INTERIOR
SANDFROSTED GLASS INSIDE



PLANTILLA DE INSTALACION
INSTALLATION TEMPLATE

