




The photograph may not match the reference exactly. Please read the product description to identify the finish.



TECHNICAL CHARACTERISTICS


Type:	Wall fixture
IP Protection degrees:	IP65
IK Protection degrees:	IK10
Lampholder:	1 x E27
Power (W):	E27 max. 16W
Total power consumption (W):	16
Voltage / Frequency:	220-240V/50-60Hz
Warranty (Years):	2
Units per box:	12
Net Weight (Kg):	0.365
EAN:	8435111088920



MATERIALS / FINISHES

Structure material: Polypropylene
Structure finish: Urban grey

Diffuser material: Polycarbonate
Diffuser finish: Matt




Download photometric file .ldt /.ies

Luminaria		Ensayo		Lámpara		
Código	05-9544	Código	05-9544	Código	GENIE ESAVER 18W/827	
Nombre	Aplique 18W fluor E27 dif opal	Nombre	Aplique 18W fluor E27 dif opal	Número	1	
Familia	- LEDS-C4	Fecha	15-11-2011	Posición	Universal	
Rendimiento	11.62%	Sist. de Coordin.	C-G	Flujo Total	1100.00 lm	
Valor Máximo	43.82 cd	Posición	C=90.00 G=20.00	Sim. en los planos 270-90		
Luminaria Rectangular	Longit.	120 mm	Anchura	220 mm	Altura	90 mm
Área Luminosa Rectangular	Longit.	62 mm	Anchura	180 mm	Altura	25 mm
Área Luminosa Horizontal	0.011160 m2	Área Emisión sobre Pl. 180°		0.001550 m2		
Área Emisión sobre Pl. 0°	0.001550 m2	Área Emisión sobre Pl. 270°		0.004500 m2		
Área Emisión sobre Pl. 90°	0.004500 m2	Área de deslumbramiento a 76°		0.004204 m2		
Tipo de Simetría	Sim. en los planos 270-90	Máximo Ángulo Gamma		180		
Distancia de Ensayo	6.44	Flujo de Ensayo		1044.00 lm		
Operador	Asselum T2	Tensión de alimentación		230.00 V		
Temperatura	22.00 °C	Corr. aliment.				
Humedad	50.00 %	Fotocélula		PRC		
Notas						

Lámparas de la Luminaria					
Familia	Código	Nombre	Flujo/lm	Pot.W	Cant.
PHILIPS 2005 ILCOS FBT,G,C,FSQ	GENIE ESAVER 18W/827	GENIE ESAVER 18W/827 E27	1100.00	18.00	1
C.I.E.	44 73 90 94 12	D DIN 5040		A31	
F UTE	0.11 G + 0.01 T	B NBN		BZ 5	

120mm x 220mm



Semiplanos C


270.0 — 0.0



180.0 — 90.0

ULOR 0.70 %


DLOR 10.92 %

RN 6.04 %






PC SEMITRASPARENTE MATE
SEMITRASPARENT MATT PC



POLIPROPILENO
POLYPROPYLENE



PLANTILLA DE INSTALACIÓN
INSTALLATION TEMPLATE

