





The photograph may not match the reference exactly. Please read the product description to identify the finish.



Download photometric file .ldt /.ies

TECHNICAL CHARACTERISTICS

Type:	Wall fixture
IP Protection degrees:	IP65
IK Protection degrees:	IK08
Bulb:	6 x LED Cree. Warm White - 3000K
Power (W):	6W
Total power consumption (W):	8.4
Luminous efficacy (Lm/W):	107
CRI:	80
Voltage / Frequency:	100-240V/50-60Hz
Warranty (Years):	2
Option to extend the guarantee:	Yes, 5 years
Units per box:	4
Net Weight (Kg):	0.79
EAN:	8435381400415



MATERIALS / FINISHES

Structure material:	High purity aluminium	Diffuser material:	Glass
Structure finish:	Urban grey	Diffuser finish:	Matt


GEAR

Multi-voltage electronic gear included (110-240 V / 50-60 Hz)

Luminaire			Measurem.			Lamp	
Code	05-9679		Code	05-9679		Code	11
Name	WALL FIXTURES		Name	WALL FIXTURES		Number	6
Line	IESNA-1995		Date	15-03-2013		Position	
Efficiency		34.42%	Coordinate system	CG		Total Flux	600.00 lm
Maximum value		70.84 cd	Position	C=0.00 G=180.00		Asymmetrical	
	Rectangular Luminaire	Length	100 mm	Width	50 mm	Height	25 mm
	Rectangular Luminous Area	Length	100 mm	Width	50 mm	Height	25 mm
	Horizontal Luminous Area	0.005000 m2		Emitting area on Plane 180°		0.002500 m2	
	Emitting area on Plane 0°	0.002500 m2		Emitting area on Plane 270°		0.001250 m2	
	Emitting area on Plane 90°	0.001250 m2		Glare area at 76°		0.003635 m2	
Symmetry Type		Asymmetrical		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		600.00 lm	
	Operator			Source voltage			
	Temperature	25.00 °C		Source current			
	Humidity	60.00 %		Photocell			
	Notes						

Line		Code		Luminaire Lamps		Flux [lm]	Pow. [W]	Q.ty
IESNA-1995		11		Name		100.00	1.47	6
				11 - 1.47 W				
C.I.E.	80 99 100 48 34			D DIN 5040	C62			
F UTE	0.17 B + 0.18 T			B NBN	BZ 1			

100mm x 50mm



C Halfplanes


180.0 — 0.0


270.0 — 90.0

ULOR 17.90 %


DLOR 16.52 %

RN 52.01 %






ALUMINIO INYECTADO
INJECTED ALUMINUM




CRISTAL MATE
ACID MATT GLASS




PLANTILLA DE INSTALACIÓN
INSTALLATION TEMPLATE


①




②




③



④



⑤



⑥

