


Design by Josep Patsí



The photograph may not match the reference exactly. Please read the product description to identify the finish.



TECHNICAL CHARACTERISTICS

Type:	Ceiling fixture
IP Protection degrees:	IP20
Lampholder:	4 x 2G11
Power (W):	2G11 18W
Bulb included:	4 x 2G11 18W. Warm white (<3700 K)
Voltage / Frequency:	220-240V/50-60Hz
Warranty (Years):	2
Units per box:	1
Net Weight (Kg):	4.16
EAN:	8435111034408,00



MATERIALS / FINISHES

Structure material: Satin aluminium

Structure finish: Anodized

Diffuser material: Methacrylate

Diffuser finish: Opal

GEAR

Gear included: Yes, electronic

[Download photometric file .ldt /.ies](#)



Luminaria		Ensayo		Lámpara	
Código	15-0590-S2-M1	Código	15-0592-S2-M1	Código	DULUX L 18 W/827
Nombre	Plafón 4x18W 2G11 difusor opal	Nombre	Plafón 4x36W 2G11 difusor opal	Número	4
Familia	- LEDS-C4	Fecha	10-03-2010	Posición	
Eficiencia	44.81%	Sist. de Coordin.	C-G	Flujo Total	4800.00 lm
Valor Máximo	609.50 cd	Posición	C=0.00 G=0.00	Bisimétrico	


410mm x 410mm

Semiplanos C

180.0 ————— 0.0



270.0 ————— 90.0





ALUMINIUM / ALUMINIO

IRON / HIERRO

OPAL ACRYLIC DIFUSER /
DIFUSOR ACRILICO OPAL



GROK

15-0590

