



Design by Josep Patsí

# BASIC

## 15-2391-21-E9



The photograph may not match the reference exactly. Please read the product description to identify the finish.



### TECHNICAL CHARACTERISTICS

|                              |                  |
|------------------------------|------------------|
| Type:                        | Ceiling fixture  |
| IP Protection degrees:       | IP20             |
| Lampholder:                  | 1 x R7s          |
| Power (W):                   | R7s MAX 200W     |
| Bulb included:               | 1 x R7s 160W     |
| Total power consumption (W): | 200              |
| Voltage / Frequency:         | 220-240V/50-60Hz |
| Warranty (Years):            | 2                |
| Units per box:               | 4                |
| Net Weight (Kg):             | 3.55             |
| EAN:                         | 8435111040690,00 |



### MATERIALS / FINISHES

**Structure material:** Steel  
**Structure finish:** Chrome

**Diffuser material:** Glass  
**Diffuser finish:** Tinted

Download photometric file .ldt /.ies



|                  |                              |                   |                              |                |            |
|------------------|------------------------------|-------------------|------------------------------|----------------|------------|
| <b>Luminaria</b> |                              | <b>Ensayo</b>     |                              | <b>Lámpara</b> |            |
| Código           | 15-2391-21-E9                | Código            | 15-2393-21-E9                | Código         | 64698      |
| Nombre           | Plafón BASIC 1x200W R7s opal | Nombre            | Plafón BASIC 1x300W R7s opal | Número         | 1          |
| Familia          | - LEDS-C4                    | Fecha             | 13-04-2010                   | Posición       | Universal  |
| Eficiencia       | 47.87%                       | Sist. de Coorden. | C-G                          | Flujo Total    | 3200.00 lm |
| Valor Máximo     | 495.18 cd                    | Posición          | C=0.00 G=0.00                | Bisimétrico    |            |




400mm x 400mm

Semiplanos C


180.0 ————— 0.0

270.0 ————— 90.0







**1**




**2**




**3**



**4**



**5**



**6**

