


Design by Josep Patsí



The photograph may not match the reference exactly. Please read the product description to identify the finish.



TECHNICAL CHARACTERISTICS

Type:	Ceiling fixture
IP Protection degrees:	IP20
Lampholder:	1 x 2GX13 1 x 2GX13
Power (W):	2GX13 22W 2GX13 40W
Bulb included:	1 x 2GX13 22W. Warm white (<3700 K) 1 x 2GX13 40W. Warm white (<3700 K)
Voltage / Frequency:	220-240V/50-60Hz
Warranty (Years):	2
Units per box:	1
Net Weight (Kg):	4.16
EAN:	8435111063620,00



MATERIALS / FINISHES

Structure material: Satin aluminium

Structure finish: Anodized

Diffuser material: Methacrylate

Diffuser finish: Opal

GEAR

Gear included: Yes, electronic

Download photometric file .ldt /.ies



Luminaria		Ensayo		Lámpara	
Código	15-2779-S2-M1	Código	15-2779-S2-M1	Código	FC 22 W/840
Nombre	Plafón 22W+40W T5 FC opal	Nombre	Plafón 22W+40W T5 FC opal	Número	2
Familia	- LEDS-C4	Fecha	26-02-2010	Posición	
Eficiencia	49.40%	Sist. de Coord.	C-G	Flujo Total	5000.00 lm
Valor Máximo	855.25 cd	Posición	C=0.00 G=0.00	Bisimétrico	




440mm x 440mm

Semiplanos C


180.0 ————— 0.0

270.0 ————— 90.0






1



2



3

