





The photograph may not match the reference exactly. Please read the product description to identify the finish.



TECHNICAL CHARACTERISTICS

Type:	Ceiling fixture
IP Protection degrees:	IP23
Lampholder:	3 x E27 3 x E27
Power (W):	E27 40 E27 23
Total power consumption (W):	120
Voltage / Frequency:	220-240V/50-60Hz
Warranty (Years):	2
Units per box:	1
Net Weight (Kg):	1.955
EAN:	8435111083154,00



MATERIALS / FINISHES

Structure material: Steel

Diffuser material: Fabric shade
Acrylic

Structure finish: Oxide brown


Diffuser finish: Beige
Opal white

Download photometric file .ldt /.ies

Luminaire		Measurem.		Lamp	
Code	15-4341-Z6-20	Code	15-4341-Z6-20	Code	ACT-FLL-050
Name	Colgante 3x7W led E27 dif opal	Name	Colgante 3x7W led E27 dif opal	Number	3
Line	- LEDS C4 LEDS	Date	30-07-2013	Position	Universal
Efficiency	37.25%	Coordinate system	CG	Total Flux	1890.00 lm
Maximum value	155.97 cd	Position	C=0.00 G=0.00	Double Symmetrical	
Round Luminaire	Diam.	445 mm	Height	140 mm	
Round Luminous Area	Diam.	445 mm	Height	140 mm	
Horizontal Luminous Area	0.155528 m2		Emitting area on Plane 180°	0.062300 m2	
Emitting area on Plane 0°	0.062300 m2		Emitting area on Plane 270°	0.062300 m2	
Emitting area on Plane 90°	0.062300 m2		Glare area at 76°	0.098075 m2	
Symmetry Type	Double Symmetrical	Maximum Gamma Angle	180		
Measurement Distance	6.44	Measurement Flux	1890.00 lm		
Operator	Asselum T2	Source voltage	230.00 V		
Temperature	25.00 °C	Source current			
Humidity	52.00 %	Photocell	PRC		
Notes					

Luminaire Lamps					
Line	Code	Name	Flux [lm]	Pow. [W]	Q.ty
- LEDS C4 LEDS	ACT-FLL-050	Lámpara led blanco 7W	630.00	7.00	3
C.I.E.	43 74 92 71 37	D DIN 5040			
F UTE	0.26 E + 0.11 T	B NBN			
		B31			
		BZ 5			


Diam=445mm




C Halfplanes


180.0 — 0.0
270.0 — 90.0

ULOR 10.94 %
DLOR 26.31 %
RN 29.36 %






5



6



7

