



Design by Nahtrang Design




The photograph may not match the reference exactly. Please read the product description to identify the finish.



TECHNICAL CHARACTERISTICS

Type:	Floor lamp
Adjustable 350° on the vertical axis.	
IP Protection degrees:	IP20
Lampholder:	1 x E27 1 x E27
Power (W):	E27 100w E27 23w
Total power consumption (W):	100
Voltage / Frequency:	220-240V/50-60Hz
Warranty (Years):	2
Units per box:	4
Net Weight (Kg):	6.07
EAN:	8435111086575,00



MATERIALS / FINISHES

Structure material: Steel


Structure finish: Satin nickel
Matt

Download photometric file .ldt / .ies

PAN-161-14


Structure material: Steel
Structure finish: White

Diffuser material: Fabric shade
Diffuser finish: White




IP20

PAN-161-BY


Structure material: Steel
Structure finish: White

Diffuser material: Fabric shade
Diffuser finish: Sandblasted




IP20

PAN-162-J6


Structure material: Steel
Structure finish: White

Diffuser material: Fabric shade
Diffuser finish: Brown




IP20

PAN-184-BY


Structure material: Steel
Structure finish: White

Diffuser material: Fabric shade
Diffuser finish: Sandblasted




IP20

PAN-184-14




Structure material: Steel
Structure finish: White
Diffuser material: Fabric shade
Diffuser finish: White



PAN-185-J6




Structure material: Steel
Diffuser material: Fabric shade
Diffuser finish: Brown



PAN-180-14



Structure material: Steel
Structure finish: White
Diffuser material: Fabric shade
Diffuser finish: White




IP20

PAN-180-BY



Structure material: Steel
Structure finish: White
Diffuser material: Fabric shade
Diffuser finish: Sandblasted




IP20

PAN-188-20



Structure material: Steel
Structure finish: White
Diffuser material: Fabric shade
Diffuser finish: Beige




IP20

PAN-181-14



Structure material: Steel
Structure finish: White
Diffuser material: Fabric shade
Diffuser finish: White




IP20

PAN-181-BY



Structure material: Steel
Structure finish: White
Diffuser material: Fabric shade
Diffuser finish: Sandblasted




IP20

PAN-189-20



Structure material: Steel
Structure finish: White
Diffuser material: Fabric shade
Diffuser finish: Beige




IP20

PAN-176-14




Structure material: Steel
Diffuser material: Fabric shade
Diffuser finish: White



PAN-176-BY




Structure material: Steel
Diffuser material: Fabric shade
Diffuser finish: Sandblasted



PAN-220-V7



Structure material: Steel
Structure finish: Brown
Diffuser material: PVC
Diffuser finish: Antique copper




IP20

Luminaire		Measur.		Lamp	
Code	25-4695-81-82	Code	25-4695-81-82	Code	STANDAR GOC 100W O
Name	Pie 1x100W A55 + PAN-159	Name	Pie 1x100W A55 + PAN-159	Number	1
Line	- LEDS-C4	Date	20-11-2013	Position	Universal
Efficiency	82.09%	Coordinate system	CG	Total Flux	1340.00 lm
Maximum value	194.46 cd	Position	C=90.00 G=50.00	Double Symmetrical	
Round Luminaire	Diam.	420 mm	Height	310 mm	
Round Luminous Area	Diam.	420 mm	Height	310 mm	
Horizontal Luminous Area	0.138544 m2		Emitting area on Plane 180°	0.130200 m2	
Emitting area on Plane 0°	0.130200 m2		Emitting area on Plane 270°	0.130200 m2	
Emitting area on Plane 90°	0.130200 m2		Glare area at 76°	0.159849 m2	
Symmetry Type	Double Symmetrical		Maximum Gamma Angle	180	
Measurement Distance	6.44		Measurement Flux	1209.00 lm	
Operator	Asselum T2		Source voltage	230.00 V	
Temperature	20.00 °C		Source current	PRC	
Humidity	52.00 %		Photocell		
Notes					

Luminaire Lamps					
Line	Code	Name	Flux [lm]	Pow. [W]	Q.ty
PHILIPS 2005 ILCOS IA,IB,IC	STANDAR GOC 100W O	STANDAR GOCCIA 100W E27 OPALE	1340.00	100.00	1
C.I.E.	32 75 91 53 82	D DIN 5040	C21		
F UTE	0.43 I + 0.39 T	B NBN	BZ 6 / 2.5 / BZ 5 / 3 / BZ 6 / 4 / BZ 5		

Diam=420mm



C Halfplanes

180.0 — 0.0
270.0 — 90.0

ULOR 38.76 %
DLOR 43.33 %
RN 47.21 %

