





The photograph may not match the reference exactly. Please read the product description to identify the finish.



[Download photometric file .ldt /.ies](#)

TECHNICAL CHARACTERISTICS

Type:	Ceiling fixture
IP Protection degrees:	IP23
Lampholder:	3 x 2G11
Power (W):	2G11 40W
Total power consumption (W):	120.3
Voltage / Frequency:	220-240V/50-60Hz
Warranty (Years):	2
Units per box:	1
Net Weight (Kg):	7.045
EAN:	8435111041314,00



MATERIALS / FINISHES

Structure material: Satin aluminium

Structure finish: Polished

Diffuser material: Polycarbonate

Diffuser finish: Matt opal


GEAR

Gear included: Yes, electronic


Luminaria		Ensayo		Lámpara	
Código	435-AL	Código	435-AL	Código	PL-L40W/840/4P
Nombre	Plafón TOLEDO 3x40W 2G11 opal	Nombre	Plafón TOLEDO 3x40W 2G11 opal	Número	3
Familia	- LEDS-C4	Fecha	31-03-2010	Posición	Universal
Eficiencia	32.94%	Sist. de Coorden.	C-G	Flujo Total	10500.00 lm
Valor Máximo	1201.53 cd	Posición	C=0.00 G=0.00	Bisimétrico	



640mm x 440mm

Semiplanos C





180.0 ————— 0.0
270.0 ————— 90.0








1




2







3



4



5



6

