





The photograph may not match the reference exactly. Please read the product description to identify the finish.



TECHNICAL CHARACTERISTICS

Type:	Wall fixture
IP Protection degrees:	IP20
Bulb:	30 x LED. Cold White - 6000K
Power (W):	2,5
Luminous efficacy (Lm/W):	110
Voltage / Frequency:	100-240V/50-60Hz
Warranty (Years):	2
Option to extend the guarantee:	Yes, 5 years
Units per box:	2
Net Weight (Kg):	0.35
EAN:	8435111045886,00



MATERIALS / FINISHES


Structure material: Steel

Structure finish: Satin nickel

GEAR

Multi-voltage electronic gear included (110-240 V / 50-60 Hz)

Llit collection





Download photometric file .ldt / .ies

Luminaria		Ensayo		Lámpara	
Código 446-NS		Código 446-NS		Código LAMP 446-NS	
Nombre Aplique 30 leds 2.2W		Nombre Aplique 30 leds 2.2W		Número 1	
Familia - LEDS-C4		Fecha 12-03-2010		Posición	
Eficiencia	100.00%	Sist. de Coordin.	C-G	Flujo Total	132.59 lm
Valor Máximo	125.07 cd	Posición	C=0.00 G=0.00	Bisimétrico	



Diam=75mm

Semiplanos C



180.0 ————— 0.0
 270.0 ————— 90.0




ADJUSTABLE HEAD/
CABEZAL ORIENTABLE




1



2



3



4

