


LIGHT VOLUMES

Bakerygroup, 2000





	152	202	252	304
				





Light Volumes ECO 21W.22W.23W

Bakerygroup, 2000-2004



21W / 1x26W FSQ G24q-3 
22W / 1x36W FSD 2G11 
23W / 1x55W FSDH 2G11 

Supporto a muro: metallo
verniciato bianco opaco.

Struttura: lastra
in polipropilene opalino.

Diffusore: involucro sfoderabile e
lavabile in microfibra poliestere bianco.

Reattore: elettronico,
dimmerabile a richiesta (22W.23W).

Wall support: matt white painted metal.

Structure: opal polypropylene slab.

Diffuser: white polyester micro-fibre
fabric, removable and washable.

Ballast: electronic,
dimmerable on request (22W.23W).

Halterung: Metall matt weiß lackiert.

Struktur: gebogene
Polypropylenplatte weiß.

Diffusor: Mikrofaserewebe
weiß, abnehmbar und waschbar.

Vorschaltgerät: elektronisch,
dimmbar auf Wunsch (22W.23W).

Support: métal verni blanc mat.

Structure: armature
en polypropylène opale.

Diffuseur: hausse déhoussable et
lavable in microfibre polyester blanc.

Ballast: électronique,
réglable sur demande (22W.23W).


Apoyo: metal barnizado blanco mate.

Estructura: lastra
en polipropileno opalino.


Difusor: envoltorio extraíble y lavable
en microfibra poliéster blanco.

Bobina de reacción
con dimmer opcional (22W.23W).

21W



22W



23W

