



BUGIA

Single

FEATURES

- Frame:** Metal
- Diffuser:** Plexiglass
- Dimmable:** Yes
- Dimmer:** Not Included
- Bulb:** Included


BULB

LED 2700K 1 x 18W | 1500 lm


or

LED 3000K 1 x 18W | 1600 lm

SPECIFICATION SHEET



Ø cm 24 9.45"



Ø cm 16 6.30"

CERTIFICATION



PHOTOMETRIC CURVE

None

FRAME	DIFFUSER	LED COLOUR	CODE
Matt White 9010	Gold	2700K	161001
Matt White 9010	Chrome	2700K	161002
Matt White 9010	Glossy Copper	2700K	161003
Matt White 9010	Gold	3000K	161004
Matt White 9010	Chrome	3000K	161005
Matt White 9010	Glossy Copper	3000K	161006
Matt White 9010	White	3000K	161020
Matt White 9010	White	2700K	161019



BUGIA

Double

FEATURES

Frame: Metal

Diffuser: Plexiglass

Dimmable: Yes

Dimmer: Not Included

Bulb: Included

BULB

LED 2700K 2 x 18W | 3000 lm

or _____

LED 3000K 2 x 18W | 3200 lm

SPECIFICATION SHEET

CERTIFICATION



PHOTOMETRIC CURVE

None

FRAME	DIFFUSER	LED COLOUR	CODE
<input type="radio"/> Matt White 9010	<input type="radio"/> Gold	2700K	161007
<input type="radio"/> Matt White 9010	<input type="radio"/> Chrome	2700K	161008
<input type="radio"/> Matt White 9010	<input type="radio"/> Glossy Copper	2700K	161009
<input type="radio"/> Matt White 9010	<input type="radio"/> Gold	3000K	161010
<input type="radio"/> Matt White 9010	<input type="radio"/> Chrome	3000K	161011
<input type="radio"/> Matt White 9010	<input type="radio"/> Glossy Copper	3000K	161012
<input type="radio"/> Matt White 9010	<input type="radio"/> White	2700K	161021
<input type="radio"/> Matt White 9010	<input type="radio"/> White	3000K	161022



BUGIA

Triple

FEATURES

Frame: Metal

Diffuser: Plexiglass

Dimmable: Yes

Dimmer: Not Included

Bulb: Included

BULB

LED 2700K 3 x 18W | 4500 lm

or _____

LED 3000K 3 x 18W | 4800 lm

SPECIFICATION SHEET

CERTIFICATION



PHOTOMETRIC CURVE

None

FRAME	DIFFUSER	LED COLOUR	CODE
<input type="radio"/> Matt White 9010	<input type="radio"/> Gold	2700K	161013
<input type="radio"/> Matt White 9010	<input type="radio"/> Chrome	2700K	161014
<input type="radio"/> Matt White 9010	<input type="radio"/> Glossy Copper	2700K	161015
<input type="radio"/> Matt White 9010	<input type="radio"/> Gold	3000K	161016
<input type="radio"/> Matt White 9010	<input type="radio"/> Chrome	3000K	161017
<input type="radio"/> Matt White 9010	<input type="radio"/> Glossy Copper	3000K	161018
<input type="radio"/> Matt White 9010	<input type="radio"/> White	2700K	161023
<input type="radio"/> Matt White 9010	<input type="radio"/> White	3000K	161024

BUGIA PL1-PL4

Ceiling | Single

210-250V

PL1 **LED** 18W | 1500 lm
2700K

PL4 **LED** 18W | 1600 lm
3000K

Disinserire la tensione prima di operare sull'apparecchio


ISTRUZIONI DI MONTAGGIO

- 1) Aprire la scatola a soffitto [A] sganciando il diffusore [C]
Il diffusore è agganciato tramite un magnete interno [M]
Attenzione: il diffusore [C] rimarrà collegato alla scatola a soffitto [A] tramite i cavi di supporto predisposti [P]
- 2) Fissare al soffitto la scatola [A] attraverso le asole [G] predisposte.
- 3) Collegare la linea principale al morsetto [B]
- 4) Richiudere la scatola a soffitto [A] con il diffusore [C]

Before installing turn off the power to the electrical box.

MOUNTING INSTRUCTIONS

- 1) Separate the diffuser [C] from the ceiling box [A]
The diffuser is attached with an internal magnet [M]
Important: The diffuser [C] will remain connected to the ceiling box [A] through the included steel wires [P]
- 2) Fix the ceiling box [A] to the ceiling using appropriate fixings [G]D
- 3) Connect the main power supply to terminal [B]
- 4) Slide the diffuser [C] over the ceiling box [A]



Studio Italia Design garantisce i suoi prodotti essere privi da difetti di materiale e di lavorazione per la durata di un anno dalla consegna. Durantetale periodo Studio Italia Design riparerà o sostituirà, a sua discrezione, i prodotti che hanno dato prova di difetto. Questa garanzia non è applicata a danni risultanti dall'incidente, alterazione, manomissione, abuso o negligenza. Ogni modifica può compromettere la sicurezza rendendo l'apparecchio pericoloso. Studio Italia Design declina ogni responsabilità per i prodotti modificati. L'apparecchio non deve essere installato in posizioni o in applicazioni diverse da quelle indicate nelle istruzioni di montaggio.

Studio Italia Design warrants its to be free from defects in materials and workmanship for a period of one year date of delivery. During this warranty period Studio Italia Design will repair or replace, at its option, product that are proven to be defective. This warranty does not apply to damages resulting from accidental, alteration, tampering, misuse, negligence or abuse. Any modification may compromise safety causing the product to become dangerous. Studio Italia Design declines all responsibility for products that are modified. Fixture must not be installed in any position or used in a different way than shown in his instructions.

Conservare le istruzioni per una manutenzione futura. L'apparecchio deve essere installato da personale qualificato
Keep these instructions for future reference. To be installed by a qualified licensed electrician only



STUDIO ITALIA DESIGN | Via Pialoi, 32, 30020, Marcon, Venezia, ITALY | www.studioitaliadesign.com | info@studioitaliadesign.com

Ita-Eng

2016.05.02



STUDIO
ITALIA DESIGN

BUGIA PL2-PL5_PL3-PL6

Ceiling | Double_Triple

210-250V

PL2 **LED** 2x18W | 3000 lm
2700K

PL3 **LED** 3x18W | 4500 lm
2700K

PL5 **LED** 2x18W | 3200 lm
3000K

PL6 **LED** 3x18W | 4800 lm
3000K

Disinserire la tensione prima di operare sull'apparecchio


ISTRUZIONI DI MONTAGGIO

- 1) Svitare il disco centrale [D] per rimuovere il diffusore [C] dalla scatola a soffitto [A]
- 2) Fissare al soffitto la scatola [A] attraverso le asole [G] predisposte.
- 3) Collegare la linea principale al morsetto [B]
- 4) Riposizionare il diffusore [C] sulla scatola a soffitto [A] facendo attenzione a far coincidere il foro [E] con il blocco antirotazione [F]
- 5) Avvitare il disco [D]

Before installing turn off the power to the electrical box.

MOUNTING INSTRUCTIONS

- 1) Unscrew the disk [D] to remove the diffuser [C] from the ceiling box [A]
- 2) Fix the ceiling box [A] to the ceiling using appropriate fixings [G]
- 3) Connect the main power supply to terminal [B]
- 4) Place the diffuser [C] on the ceiling box [A] paying attention to match the hole [E] with the pin [F]
- 5) Screw the disk [D]



Studio Italia Design garantisce i suoi prodotti essere privi da difetti di materiale e di lavorazione per la durata di un anno dalla consegna. Durantetale periodo Studio Italia Design riparerà o sostituirà, a sua discrezione, i prodotti che hanno dato prova di difetto. Questa garanzia non è applicata a danni risultanti dall'incidente, alterazione, manomissione, abuso o negligenza. Ogni modifica può compromettere la sicurezza rendendo l'apparecchio pericoloso. Studio Italia Design declina ogni responsabilità per i prodotti modificati. L'apparecchio non deve essere installato in posizioni o in applicazioni diverse da quelle indicate nelle istruzioni di montaggio.

Studio Italia Design warrants its to be free from defects in materials and workmanship for a period of one year date of delivery. During this warranty period Studio Italia Design will repair or replace, at its option, product that are proven to be defective. This warranty does not apply to damages resulting from accidental, alteration, tampering, misuse, negligence or abuse. Any modification may compromise safety causing the product to become dangerous. Studio Italia Design declines all responsibility for products that are modified. Fixture must not be installed in any position or used in a different way than shown in his instructions.

Conservare le istruzioni per una manutenzione futura. L'apparecchio deve essere installato da personale qualificato
Keep these instructions for future reference. To be installed by a qualified licensed electrician only



STUDIO ITALIA DESIGN | Via Pialoi, 32, 30020, Marcon, Venezia, ITALY | www.studioitaliadesign.com | info@studioitaliadesign.com



Ita-Eng

2016.05.03

