






# KELLY

Small Dome 50


## FEATURES

- Frame:** Metal
- Diffuser:** Glass
- Dimmable:** Yes
- Dimmer:** Not Included
- Bulb:** Not Included

## BULB

-  **E27 Classic A60** 3 x max 46W eco
- or \_\_\_\_\_
-  **E27 CFL [compact]** 3 x max 23W
- or \_\_\_\_\_
-  **E27 LED** 3 x max available

## SPECIFICATION SHEET




## CERTIFICATION







## PHOTOMETRIC CURVE

DIAGRAMMA POLARE (cd/klm)



Codice CIE: 54 65 99 99 A4  
Rendimento: LOR = 94.2, DALOR = 88.1, LLOR = 1.9  
Apertura fascio: CO = 90°, FO = 134.0°, COB = 210°, FOB = 0°  
Asimmetria: Max = 252.7 cd/klm, C = 0.0°, gamma = 0.0°  
Orientamento: 0° - Inclinazione: 0° - Rotazione: 0°

FRAME	DIFFUSER	LED COLOUR	CODE
 Coppery Bronze	 Glossy Milk White	Optionally	141009
 Matt White 9010	 Glossy Milk White	Optionally	141002






# KELLY

Medium Dome 60


## FEATURES

- Frame:** Metal
- Diffuser:** Glass
- Dimmable:** Yes
- Dimmer:** Not Included
- Bulb:** Not Included

## BULB

-  **E27 Classic A60** 3 x max 46W eco
- or \_\_\_\_\_
-  **E27 CFL [compact]** 3 x max 23W
- or \_\_\_\_\_
-  **E27 LED** 3 x max available

## SPECIFICATION SHEET







## CERTIFICATION



## PHOTOMETRIC CURVE

None

FRAME	DIFFUSER	LED COLOUR	CODE
 Matt White 9010	 Glossy Milk White	Optionally	141013
 Coppery Bronze	 Glossy Milk White	Optionally	141014






# KELLY

Large Dome 80

## FEATURES

- Frame:** Metal
- Diffuser:** Glass
- Dimmable:** Yes
- Dimmer:** Not Included
- Bulb:** Not Included

## BULB

-  **E27 Classic A60** 4 x max 46W eco
- or \_\_\_\_\_
-  **E27 CFL [compact]** 4 x max 23W
- or \_\_\_\_\_
-  **E27 LED** 4 x max available


## CERTIFICATION



## PHOTOMETRIC CURVE

None



## SPECIFICATION SHEET



### FRAME

-  Coppery Bronze
-  Matt White 9010

### DIFFUSER

-  Glossy Milk White
-  Glossy Milk White

### LED COLOUR

- Optionally
- Optionally




### CODE




- 141010
- 141001

# KELLY SO\_SO5\_SO1

Suspension | Large 80\_Medium 60\_Small 50 Dome

220-240V

SO:  4x max 46W eco Classic A60 (E27)  
 4x max 23W CFL compact (E27)  
 4x max Classic A60 LED (E27)

SO1:  3x max 46W eco Classic A60 (E27)  
SO5:  3x max 23W CFL compact (E27)  
 3x max Classic A60 LED (E27)

Disinserire la tensione prima di operare sull'apparecchio.

## ISTRUZIONI DI MONTAGGIO

- 1) Rimuovere il coperchio [C] dalla scatola a soffitto [A] svitando il grano [E] (Fig.4).
- 2) Fissare al soffitto la placca a muro attraverso i fori asolati [G].
- 3) Regolare l'altezza della lampada agendo sulle tre funi d'acciaio [L] regolando i registri [F] (vedi Fig.3)
- 4) Eseguire il collegamento elettrico ai morsetti [B]
- 5) Regolare la lunghezza del cavo elettrico attraverso il bloccacavo [P] all'interno della scatola [A] (vedi Fig.2)
- 6) Riposizionare il coperchio [C] alla placca a soffitto [A] bloccandolo con il grano [E] (Fig.4)
- 7) Svitare il dischetto [H] per rimuovere il vetro [D].
- 8) Inserire le lampadine nei portalampade.
- 9) Riposizionare il vetro [D] avvitando il dischetto [H] senza stringere troppo.

Before installing turn off the power to the electrical box

## MOUNTING INSTRUCTIONS

- 1) Undo the grub screw [E] and remove the cover [C] from the ceiling plate [A] (Fig.4).
- 2) Fix the plate [A] to the ceiling through the slots [G] using appropriate fasteners.
- 3) Adjust the length of the suspension wires [L] using the terminal blocks [F]. To adjust the length of the wire undo the pin a little bit and push upwards. Screw the pin to block the steel wire in the thread-blocking bolt (Fig.3).
- 4) Make the connection of the power supply to the terminal blocks [B] (Fig.3).
- 5) Adjust the length of the power cable using the cable grip [P] inside the ceiling plate (see Fig.2)
- 6) Slide the cover [C] over the ceiling plate [A] and secure it in position using the grub screw [E] (Fig.4)
- 7) Unscrew the flat-head bolt [H] and remove the glass shade [D] (Fig.1).
- 8) Install the light bulbs on the lampholders
- 9) Place the glass [D] back and secure it in position with the bolt [H], pay attention not to over-tighten.

Studio Italia Design garantisce i suoi prodotti essere privi da difetti di materiale e di lavorazione per la durata di un anno dalla consegna. Durante tale periodo Studio Italia Design riparerà o sostituirà, a sua discrezione, i prodotti che hanno dato prova di difetto. Questa garanzia non è applicata a danni risultanti dall'incidente, alterazione, manomissione, abuso o negligenza. Ogni modifica può compromettere la sicurezza rendendo l'apparecchio pericoloso. Studio Italia Design declina ogni responsabilità per i prodotti modificati. L'apparecchio non deve essere installato in posizioni o in applicazioni diverse da quelle indicate nelle istruzioni di montaggio.

Studio Italia Design warrants its to be free from defects in materials and workmanship for a period of one year date of delivery. During this warranty period Studio Italia Design will repair or replace, at its option, product that are proven to be defective. This warranty does not apply to damages resulting from accidental, alteration, tampering, misuse, negligence or abuse. Any modification may compromise safety causing the product to become dangerous. Studio Italia Design declines all responsibility for products that are modified. Fixture must not be installed in any position or used in a different way than shown in his instructions.

**Conservare le istruzioni per una manutenzione futura. L'apparecchio deve essere installato da personale qualificato**  
**Keep these instructions for future reference. To be installed by a qualified licensed electrician only**

STUDIO ITALIA DESIGN | Via Pialoi, 32, 30020, Marcon, Venezia, ITALY | [www.studioitaliadesign.com](http://www.studioitaliadesign.com) | [info@studioitaliadesign.com](mailto:info@studioitaliadesign.com)

Ita-Eng

2016.05.20

