



NUVOLA

Small

FEATURES

Frame: Metal

Diffuser: Polyester Wadding

Dimmable: Yes

Dimmer: Not Included

Bulb: Not Included


BULB

 **E27 CFL [compact]** 4 x max 23W

or

 **E27 LED** 4 x max available

SPECIFICATION SHEET



CERTIFICATION



PHOTOMETRIC CURVE

None

FRAME	DIFFUSER	LED COLOUR	CODE
 Chrome	 White Wadding	Optionally	043003



NUVOLA

Medium

FEATURES

Frame: Metal

Diffuser: Polyester Wadding

Dimmable: Yes

Dimmer: Not Included

Bulb: Not Included


BULB

 **E27 CFL** 4 x max 30W

or

 **E27 LED** 4 x max available

SPECIFICATION SHEET



CERTIFICATION



PHOTOMETRIC CURVE

None

FRAME	DIFFUSER	LED COLOUR	CODE
 Chrome	 White Wadding	Optionally	043002



NUVOLA

Large

FEATURES

Frame: Metal

Diffuser: Polyester Wadding

Dimmable: Yes

Dimmer: Not Included

Bulb: Not Included


BULB

 **E27 CFL** 8 x max 30W

or

 **E27 LED** 8 x max available

SPECIFICATION SHEET



CERTIFICATION



PHOTOMETRIC CURVE

None

FRAME	DIFFUSER	LED COLOUR	CODE
 Chrome	 White Wadding	Optionally	043001

NUVOLA SO4

Suspension Mini

220-240V 50/60 Hz

 2x max 23W CFL compact (E27)

L max cm 12

 2x max available LED (E27)

L max cm 12

Disinserire la tensione prima di operare sull'apparecchio.

ISTRUZIONI DI MONTAGGIO

- 1) Rimuovere il coperchio [C] dalla scatola a soffitto [A] svitando il grano [E] (vedi Fig.1 e Fig.2).
- 2) Fissare al soffitto la scatola attraverso i fori asolati [G] utilizzando dei tasselli adeguati.
- 3) Regolare l'altezza dal soffitto della lampada operando sulla lunghezza del cavo [F]. Bloccare quindi il cavo con il bloccacavo a ponte [P] (vedi particolare Fig.3)
- 4) Eseguire il collegamento elettrico ai morsetti [B].
- 5) Riposizionare il coperchio [C] sulla staffa a soffitto [A] bloccandolo con il grano [E] (vedi Fig.1 e Fig.2).
- 6) Inserire le lampadine nei portalampade.

Attenzione: utilizzare solo lampadine fluorescenti compatte.


- 7) Togliere il telo dal sacchetto [S] che lo contiene (Fig.4)

Importante: Non gettare il sacchetto [S]. Per il lavaggio del telo [N] inserirlo nel sacchetto in dotazione e seguire le indicazioni riportate sull'etichetta.

Per l'installazione del telo diffusore procedere secondo quanto segue:

- 8) Allargare l'apertura del telo [N] ed inserirlo sulla struttura [L] (Fig.1).
- 9) Inserire il plexiglass [H] all'interno dell'elastico [R] presente sul bordo dell'apertura (Fig.5).
- 10) Agganciare gli elastici alle 4 sfere [M] (Fig.6).
- 11) Modellare l'ovatta a piacere al fine di darle un aspetto più voluminoso e irregolare (Fig.7).

Fig.4



	Lavaggio a freddo Wash cold
	Centrifuga max 800 giri Spin max 800 RPM
	Non stirare Do not iron or press with heat




Fig.5




Fig.6




Fig.7




Fig.1

Studio Italia Design garantisce i suoi prodotti essere privi di difetti di materiale e di lavorazione per la durata di un anno dalla consegna. Durante tale periodo Studio Italia Design riparerà o sostituirà, a sua discrezione, i prodotti che hanno dato prova di difetto. Questa garanzia non è applicata a danni risultanti dall'incidente, alterazione, manomissione, abuso e negligenza. Ogni modifica ne può compromettere la sicurezza rendendo l'apparecchio pericoloso. Studio Italia Design declina ogni responsabilità per i prodotti modificati. L'apparecchio non deve essere installato in posizioni o in applicazioni diverse da quelle indicate nelle istruzioni di montaggio.

Conservare le istruzioni per una manutenzione futura. Le operazioni indicate devono essere eseguite da personale qualificato



STUDIO ITALIA DESIGN | Via Pialoi, 32, 30020, Marcon, Venezia, ITALY | www.studioitaliadesign.com | info@studioitaliadesign.com

STUDIO
ITALIA DESIGN

NUVOLA SO4

Suspension Mini

English

2016.03.14

220-240V 50/60 Hz



2x max 23W CFL compact (E27)



2x max Classic A60 LED (E27)

Before installing turn off the power to the electrical box.

MOUNTING INSTRUCTIONS

- 1) Undo the grub screw [E] and remove the cover [C] from the ceiling plate [A] (see Fig.1 and 2)
- 2) Fix the plate to the ceiling through the slots [G] using appropriate fasteners.
- 3) Adjust the length of the power supply cable [F] feeding it through the bracket and blocking it with the cable grip [P] (see Fig.3)
- 4) Make the connection of the power supply to the terminal blocks [B]
- 5) Slide the cover [C] over the ceiling plate [A] and secure it in position with the grub screw [E] (see Fig.1 and 2)
- 6) Install the lamps. **Attention:** Use only CFL lamps.
- 7) Take out the diffuser from the bag [S] in which it is supplied (Fig. 4)


Important: Do not dispose of the bag [S].

To clean the diffuser [N] put it inside the bag provided and follow the washing instructions marked on the label.

To install the wadding diffuser proceed as follows:

- 8) Stretch out the opening of the diffuser [N] and fit it over the frame [L] (Fig.1).
- 9) Insert the Plexiglas top [H] inside the elastic tape [R] sewn along the edge of the opening (Fig.5).
- 10) Attach the elastic loops to the 4 metal spheres [M] on top of the frame (Fig.6).
- 11) Work on the wadding material with your hands to give it a more plump and irregular shape (Fig.7).

Fig.4



	Lavaggio a freddo Wash cold
	Centrifuga max 800 giri Spin max 800 RPM
	Non stirare Do not iron or press with heat




Fig.2




Fig.1




Fig.5




Fig.6





Fig.7



Studio Italia Design warrants its to be free from defects in materials and workmanship for a period of one year date of delivery. During this warranty period Studio Italia Design will repair or replace, at its option, product that are proven to be defective. This warranty does not apply to damages resulting from accidental, alteration, tampering, misuse, negligence or abuse. Any modification may compromise safety causing the product to become dangerous. Studio Italia Design declines all responsibility for products that are modified. Fixture must not be installed in any position or used in a different way than shown in his instructions.

Keep these instructions for future reference. To be installed by a qualified licensed electrician only



STUDIO ITALIA DESIGN | Via Pialoi, 32, 30020, Marcon, Venezia, ITALY | www.studioitaliadesign.com | info@studioitaliadesign.com

STUDIO
ITALIA DESIGN