



PUZZLE

Medium

FEATURES

Frame: Metal
Diffuser: None
Dimmable: Yes
Dimmer: Not Included
Bulb: Included


BULB

LED 2700K 2 x 18W | 3000 lm

or

LED 3000K 2 x 18W | 3200 lm

SPECIFICATION SHEET



CERTIFICATION



PHOTOMETRIC CURVE

None

FRAME	DIFFUSER	LED COLOUR	CODE
 Matt White 9016	None	2700K	146016
 Matt White 9016	None	3000K	146017



PUZZLE

Large

FEATURES

- Frame:** Metal
- Diffuser:** None
- Dimmable:** Yes
- Dimmer:** Not Included
- Bulb:** Not Included


BULB

LED 2700K 4 x 18W | 6000 lm

or

LED 3000K 4 x 18W | 6400 lm

SPECIFICATION SHEET



CERTIFICATION



PHOTOMETRIC CURVE

None

FRAME	DIFFUSER	LED COLOUR	CODE
 Matt White 9016	None	2700K	146018
 Matt White 9016	None	3000K	146019

PUZZLE SO1-SO2

Suspension | Medium

220-240V 50/60 Hz

SO1 **LED** 2x17W - 2960 lm
2700K

SO2 **LED** 2x17W - 3180 lm
3000K

Disinserire la tensione prima di operare sull'apparecchio.


ISTRUZIONI DI MONTAGGIO

- 1) Rimuovere il coperchio [C] dalla scatola a muro [A] svitando le viti [E] Fig.1.
- 2) Fissare al soffitto la scatola a muro attraverso le asole [G]
- 3) Regolare l'altezza della lampada agendo sulle tre funi d'acciaio [L] regolando i registri [D] (vedi particolare Fig.3 per l'uso dei registri).
- 4) Eseguire il collegamento elettrico ai morsetti [B] (Fig.1).
- 5) Regolare la lunghezza del cavo elettrico attraverso il bloccacavo [F] all'interno della scatola a soffitto (vedi particolare Fig.2 per l'uso del bloccacavo).
- 6) Riposizionare il coperchio [C] alla scatola a soffitto [A] bloccandolo con le viti [E] (Fig.1).

Before installing turn off the power to the electrical box.

MOUNTING INSTRUCTIONS

- 1) Undo the two screws [E] and separate the ceiling plate [A] from the cover [C] (Fig.1).
- 2) Secure the ceiling plate [A] to the ceiling through the slots [G] using appropriate fasteners.
- 3) Adjust the length of the suspension wires [L] using the terminal blocks [D]. Screw the pin to block the steel wire in the thread-blocking bolt (Fig.3).
- 4) Make the connection of the power supply to the terminal blocks [B] (Fig.1).
- 5) Adjust the length of the power cable using the cable grip [F] inside the ceiling plate (see detail on Fig.2).
- 6) Slide the cover [C] over the ceiling plate [A] and secure it in position with the two screws [E] (Fig.1)



Garanzie | Warranty

La Studio Italia Design garantisce i suoi prodotti essere privi da difetti di materiale e di lavorazione per la durata di un anno dalla consegna. Durante tale periodo la Studio Italia Design riparerà o sostituirà, a sua discrezione, i prodotti che hanno dato prova di difetto. Questa garanzia non è applicata a danni risultanti dall'incidente, alterazione, manomissione, abuso e negligenza. Questa garanzia non è applicata alle lampadine, che non sono prodotti fatti dalla Studio Italia Design e fornite dalla Studio Italia Design solo come una comodità.

Studio Italia Design warrants its to be free from defects in materials and workmanship for a period of one year date of delivery. During this warranty period Studio Italia Design will repair or replace, at its option, product that are proven to be defective. This warranty does not apply to damages resulting from accidental, alteration, tampering, misuse, negligence or abuse.

This warranty does not apply to light bulbs, which are not products manufactured by Studio Italia Design and supplied by Studio Italia Design only as an accommodation.

Conservare le istruzioni per una manutenzione futura | Keep these instructions for future reference
Operazioni da far eseguite a personale qualificato | To be installed by a qualified licensed electrician only



STUDIO
ITALIA DESIGN

www.studioitaliadesign.com / info@studioitaliadesign.com / Via Pialoi, 32, 30020, Marcon, Venezia, ITALY

