

Floor lamp, with fluorescent, LED and halogen sources depending on the version. It is composed by two elements in extruded aluminium: depending on versions, body is painted in white, anthracite, champagne and moka, while the main body can be brushed or painted white or anthracite. The LED or halogen uplight source is integrated in the body and it creates a widespread light, while a fluorescent or LED source is integrated in the main body for a widespread and adjustable light. Double switch dimmer on the cable.





# HALO+FLUO

				t +	5
Lamping		_	340°		
Source	R7s QT-DE (114mm) + G5 T16				
Total power	300W + 80W				
Emission	up and vertical, indirect				
Switching	double switch, dimmable				
Tension	230V				
Materials	aluminium + PMMA				
Notes	orientable diffuser				
		178			
Codes	Structure Diffuseur				
ARA KXX 2B	anthracite/anthracite				
ARA KWL 2B	white/polished				
ARA KDL 2B	champagne/polished				
ARA KXL 2B	anthrasite/nalished				
AKA KAL 2D	anthracite/polished				
ARA KML 2B	moka/polished	_		36	26,5
					-,
ARA KWW 2B	white/white				

### Package 1

Dimensions	13x40x50
Gross weight	12.3 Kg

### Package 2

Dimensions				
Gross weight				

31x17x190 10.5 Kg



## LED+LED

			340° 💛	5
Lamping		—		
Source	LED board + linear LED			
Total power	23W + 40W			
Emission	up and vertical, indirect			
Switching	double, dimmable (DALI on request)			
Tension	230V			
Color temperature	2700K/3000K			
Luminous flux	2850lm + 5200lm			
Тур сгі	83			
Energy class	A+	178		
Materials	aluminium + PMMA			
Notes	orientable diffuser			
Codes	Structure Diffuseur			
ARA TWW 2B	white/white			
ARA TWL 2B	white/polished			
ARA TXL 2B	anthracite/polished	_	36	26,5

Net lamp weight

ARA TDL 2B

ARA TXX 2B

ARA TML 2B

Dimensions Gross weight

#### Package 2

Dimensions Gross weight 31x17x190 10.5 Kg

13x40x50

12.3 Kg

champagne/polished

anthracite/anthracite

moka/polished

21 Kg