

# NEMO

## IN THE WIND PENDANT VERTICAL

Arihiro Miyake

Floor and pendant lamp for a warm and widespread LED lighting. The body is manufactured through a technology of torsion and misalignment of the aluminium extruded bar, expressly studied by Nemo (patent pending). It allows a 360° LED emission. Heads are in die-casted aluminium. Diffusers are in opal metacrylate. Heads, base and arms are painted in matt white, matt black, titan grey and gold. For the floor version, switch and dimmer on the cable.



# NEMO

## IN THE WIND PENDANT VERTICAL

Arihiro Miyake

### LED 3000K

#### Lamping


Source	linear LED
Total power	3x20W
Emission	diffused, 360°
Switching	dimmable, DALI push
Tension	230V
Color temperature	3000K
Luminous flux	5700lm
Typ cri	83
Energy class	A+
Ip class	O
Materials	aluminium + PC
Notes	cable lenght 3m, also available in 120V

#### Codes

	Structure	Diffuseur
ITW LWW 58 white	white	
ITW LNW 58 white	black	
ITW LGW 58 white	gold	
ITW LDW 58 white	titan grey	

#### Package 1

Dimensions	28x28x195
Gross weight	7 Kg



# NEMO

## IN THE WIND PENDANT VERTICAL

Arihiro Miyake

### LED 2700K

#### Lamping

Source	linear LED
Total power	3x20W
Emission	diffused, 360°
Switching	dimmable, DALI push
Tension	230V
Color temperature	2700K
Luminous flux	5700lm
Typ cri	83
Energy class	A+
Ip class	O
Materials	aluminium + PC
Notes	cable lenght 3m, also available in 120V

#### Codes

	Structure	Diffuseur
ITW LWW 55 white	white	
ITW LNW 55 white	black	
ITW LGW 55 white	gold	
ITW LDW 55 white	titan grey	

#### Package 1

Dimensions	28x28x195
Gross weight	7 Kg

