

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

Range of fittings with a technical structure and two arms in extruded aluminium. Diffuser in white, transparent metacrylate. Aluminium parts can be painted in silver grey or, on demand, matt white. All versions (with the exception of the floor version) with uplight and downlight output, for an extremely functioning, widespread and adjustable lighting output.



NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H27 189 FLUO dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2x24W
Emission	direct
Switching	dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

RED F2W 44

Structure

aluminium

Diffuseur



Package 1

Dimensions	27x15x200
Gross weight	4 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H27 189 FLUO dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2x24W
Emission	indirect
Switching	dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

RED F2W 43

Structure

aluminium

Diffuseur



Package 1

Dimensions	27x15x200
Gross weight	4 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H27 189 FLUO not dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2x24W
Emission	direct
Switching	not dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA

Codes

REG F2W 44



Structure

aluminium

Diffuseur

Package 1

Dimensions	27x15x200
Gross weight	4 Kg



NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H27 189 FLUO not dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2x24W
Emission	indirect
Switching	not dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

REG F2W 43

Structure

aluminium

Diffuseur



Package 1

Dimensions	27x15x200
Gross weight	4 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H27 249 FLUO dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2x39W
Emission	direct
Switching	dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

RED F3W 44

Structure

aluminium

Diffuseur



Package 1

Dimensions	27x15x260
Gross weight	5.5 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H27 249 FLUO dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2x39W
Emission	indirect
Switching	dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

RED F3W 43

Structure

aluminium

Diffuseur



Package 1

Dimensions	27x15x260
Gross weight	5.5 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H27 249 FLUO not dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2x39W
Emission	direct
Switching	not dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

REG F3W 44

Structure

aluminium

Diffuseur



Package 1

Dimensions	27x15x260
Gross weight	5.5 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H27 249 FLUO not dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2x39W
Emission	indirect
Switching	not dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

REG F3W 43

Structure

aluminium

Diffuseur



Package 1

Dimensions	27x15x260
Gross weight	5.5 Kg

NEMO



REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H27 249 LED dimmable direct

Lamping

Source	linear LED
Total power	2x30W
Emission	direct
Switching	dimmable, DALI, push
Tension	230V
Color temperature	3000K
Luminous flux	2 x 3900lm
Typ cri	83
Energy class	A+
Ip class	20
Materials	metal+PMMA



Codes

RED L3W 44

Structure

aluminium

Diffuseur

Package 1

Dimensions	27x15x260
Gross weight	5.5 Kg

NEMO



REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H27 249 LED dimmable indirect

Lamping

Source	linear LED
Total power	2x30W
Emission	indirect
Switching	dimmable, DALI, push
Tension	230V
Color temperature	3000K
Luminous flux	2 x 3900lm
Typ cri	83
Energy class	A+
Ip class	20
Materials	metal+PMMA



Codes

RED L3W 43

Structure

aluminium

Diffuseur

Package 1

Dimensions	27x15x260
Gross weight	5.5 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H27 309 FLUO dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2x54W
Emission	direct
Switching	dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

RED F5W 44

Structure

aluminium

Diffuseur



Package 1

Dimensions	27x15x313
Gross weight	7 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H27 309 FLUO dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2x54W
Emission	indirect
Switching	dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

RED F5W 43

Structure

aluminium

Diffuseur



Package 1

Dimensions	27x15x313
Gross weight	7 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H27 309 FLUO not dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2x54W
Emission	direct
Switching	not dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

REG F5W 44

Structure

aluminium

Diffuseur



Package 1

Dimensions	27x15x313
Gross weight	7 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H27 309 FLUO not dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2x54W
Emission	indirect
Switching	not dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

REG F5W 43

Structure

aluminium

Diffuseur



Package 1

Dimensions	31x19x330
Gross weight	7 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H47 189 FLUO dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2x24W
Emission	direct
Switching	dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

RED F2W 46

Structure

aluminium

Diffuseur



Package 1

Dimensions	27x15x200
Gross weight	4 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H47 189 FLUO dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2x24W
Emission	indirect
Switching	dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

RED F2W 45

Structure

aluminium

Diffuseur



Package 1

Dimensions	27x15x200
Gross weight	4 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H47 189 FLUO not dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2x24W
Emission	direct
Switching	not dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

REG F2W 46

Structure

aluminium

Diffuseur



Package 1

Dimensions	27x15x200
Gross weight	4 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H47 189 FLUO not dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2x24W
Emission	indirect
Switching	not dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

REG F2W 45

Structure

aluminium

Diffuseur



Package 1

Dimensions	27x15x200
Gross weight	4 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H47 249 FLUO dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2x39W
Emission	direct
Switching	dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

RED F3W 46

Structure

aluminium

Diffuseur



Package 1

Dimensions	27x15x260
Gross weight	5.5 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H47 249 FLUO dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2x39W
Emission	indirect
Switching	dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

RED F3W 45

Structure

aluminium

Diffuseur



Package 1

Dimensions	27x15x260
Gross weight	5.5 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H47 249 FLUO not dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2x39W
Emission	direct
Switching	not dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

REG F3W 46

Structure

aluminium

Diffuseur



Package 1

Dimensions	27x15x260
Gross weight	5.5 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H47 249 FLUO not dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2x39W
Emission	indirect
Switching	not dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

REG F3W 45

Structure

aluminium

Diffuseur



Package 1

Dimensions	27x15x260
Gross weight	5.5 Kg

NEMO



REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H47 249 LED dimmable direct

Lamping

Source	linear LED
Total power	2x30W
Emission	direct
Switching	dimmable, DALI on request
Tension	230V
Color temperature	3000K
Luminous flux	2 x 3900lm
Typ cri	83
Energy class	A+
Ip class	20
Materials	metal+PMMA



Codes

RED L3W 46

Structure

aluminium

Diffuseur

Package 1

Dimensions	27x15x260
Gross weight	5.5 Kg

NEMO



REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H47 249 LED dimmable indirect

Lamping

Source	linear LED
Total power	2x30W
Emission	indirect
Switching	dimmable, DALI on request
Tension	230V
Color temperature	3000K
Luminous flux	2 x 3900lm
Typ cri	83
Energy class	A+
Ip class	20
Materials	metal+PMMA



Codes

RED L3W 45

Structure

aluminium

Diffuseur

Package 1

Dimensions	27x15x260
Gross weight	5.5 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H47 309 FLUO dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2x54W
Emission	direct
Switching	dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

RED F5W 46

Structure

aluminium

Diffuseur



Package 1

Dimensions	27x15x313
Gross weight	7 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H47 309 FLUO dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2x54W
Emission	indirect
Switching	dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

RED F5W 45

Structure

aluminium

Diffuseur



Package 1

Dimensions	27x15x313
Gross weight	7 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H47 309 FLUO not dimmable direct

Lamping

Source	G5 T16 (FH-HO)
Total power	2x54W
Emission	direct
Switching	not dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

REG F5W 46

Structure

aluminium

Diffuseur



Package 1

Dimensions	27x15x313
Gross weight	7 Kg

NEMO

REGULUS CEILING TIGE

Carlo Forcolini and Giancarlo Fassina

H47 309 FLUO not dimmable indirect

Lamping

Source	G5 T16 (FH-HO)
Total power	2x54W
Emission	indirect
Switching	not dimmable
Tension	230V
Ip class	20
Materials	metal+PMMA



Codes

REG F5W 45

Structure

aluminium

Diffuseur



Package 1

Dimensions	31x19x330
Gross weight	7 Kg