


Glo-Ball Ceiling 2

by Jasper Morrison , 1999



Ceiling mounted lamp providing diffused light. Diffuser consisting of an externally acidetched, hand blown, flashed opaline glass and of a die-cast aluminum threaded ring nut with alodine plating finish. 30% fiberglass reinforced injection-molded polyamide ceiling fitting; gray painted die-cast aluminum diffuser support.




Mounting	Ceiling
Environment	Indoor
Finish	White
Weight	5.1 Kg
Light sources available	1 x HSGS E27 205W 3000K Halolux Ceram.Eco 4200lm - RF19973 1 x LED E27 13W 3000K T38 1400lm - RF25535
Emergency	Without
Voltage	230
Power	MAX 250W
Battery	No
Supply included	Yes
Materials	Glass
Colors	● F3028000 - White

Glo-Ball Ceiling 1

by Jasper Morrison , 1999



Ceiling mounted lamp providing diffused light. Diffuser consisting of an externally acidetched, hand blown, flashed opaline glass and of a die-cast aluminum threaded ring nut with alodine plating finish. 30% fiberglass reinforced injection-molded polyamide ceiling fitting; gray painted die-cast aluminum diffuser support.





Mounting	Ceiling
Environment	Indoor
Finish	White
Weight	2.5 Kg
Light sources available	1 x HSGS E27 150W 2900K 2870lm - RF20358 1 x LED E27 13W 3000K T38 1400lm - RF25535
Emergency	Without
Voltage	220-250V
Power	MAX 150W
Battery	No
Supply included	Yes
Materials	Glass
Colors	● F3023000 - White

Glo-Ball Ceiling/Wall Zero

by Jasper Morrison , 2009



Wall or ceiling lamp providing diffused light. Diffuser consisting of an externally acidetched, hand blown, flashed opaline glass and a die-cast aluminum threaded ring nut with alodine plating finish. 30% fiberglass reinforced injection molded polyamide base. Gray painted, die-cast aluminum diffuser support.



Mounting	Ceiling/wall
Environment	Indoor
Finish	White
Weight	1 Kg
Light sources available	1 x HSGS E14 60W 2800K Halolux T. 820lm - RF19781 1 x LED E14 8W No Dim. 3000K T28 800lm - RF25467
Emergency	Without
Voltage	220-250V
Power	MAX 60W
Battery	No
Supply included	Yes
Materials	Glass
Colors	● F3335009 - White




Mini Glo-Ball Ceiling/Wall

by Jasper Morrison , 2002



Fixture for mirror providing diffused light. Diffuser consisting of an externally acidetched, hand blown, flashed opaline glass and of a white, injection-molded PPS threaded ring nut. Injection-molded PPS white mirror ring nut. Mirror hole: \varnothing 35 mm.



Mounting	Ceiling and wall
Environment	Indoor
Finish	White
Weight	0.3 Kg
Light sources available	1 x HSGS G9 20W 2700K Halopin Pro 200lm - RF19264 1 x LED G9 2,3W No Dim 3000K 200lm - RF25320
Emergency	Without
Voltage	220-250V
Power	MAX 25W
Battery	No
Supply included	Yes
Materials	Glass
Colors	 F4194009 - White