


KTribe Suspension 1

by Philippe Starck , 2005

Suspension lamp providing diffused light. PC (polycarbonate) inner diffuser, with opal white finish. Outer diffuser available in finishes: fumée, made in PMMA (polymethylmethacrylate) or silver, made by vacuum aluminum coating on the inner surface. Single support cable. White ceiling rose.



Mounting	Pendant
Environment	Indoor
Finish	Aluminized silver, Fumée
Weight	1 Kg
Light sources available	1 x HSGS G9 33W 2700K Halopin Pro 460lm - RF18863 1 x LED G9 2,3W No Dim 3000K 200lm - RF25320
Emergency	Without
Voltage	220-250V
Power	MAX 75W
Battery	No
Supply included	Yes
Cord Length	4000 mm
Materials	PMMA, Polycarbonate
Colors	● F6256000 - Aluminized silver ● F6256030 - Fumée





KTribe Suspension 2 Eco

by Philippe Starck , 2005

Suspension lamp providing diffused light. PC (polycarbonate) inner diffuser, with opal white finish. Outer diffusers in transparent or fumée PMMA (polymethylmethacrylate), and silver or bronze on the inner surface, by vacuum aluminum coating.

Three stainless steel cables, length 3500 mm for suspension of the diffuser assembly.

White ceiling rose.



Mounting	Pendant
Environment	Indoor
Finish	Aluminized bronze, Aluminized silver, Fumée, Transparent
Weight	2.5 Kg
Light sources available	1 x FSMH G24q-3 32W 31-830 3000K 2400lm - RF14444
Emergency	Without
Voltage	220-240V
Power	32W
Battery	No
Supply included	Yes
Cord Length	3500 mm
Materials	PMMA, Polycarbonate
Colors	<ul style="list-style-type: none"> F6254000A - Transparent F6254000 - Aluminized silver F6254046 - Aluminized bronze F6254030 - Fumée





KTribe Suspension 2

by Philippe Starck , 2005

Suspension lamp providing diffused light. PC (polycarbonate) inner diffuser, with opal white finish. Outer diffusers in transparent or fumée PMMA (polymethylmethacrylate), and silver or bronze on the inner surface, by vacuum aluminum coating.

Three stainless steel cables, length 4000 mm for suspension of the diffuser assembly.

White ceiling rose.



Mounting	Pendant
Environment	Indoor
Finish	Aluminized bronze, Aluminized silver, Fumée, Transparent
Weight	2.5 Kg
Light sources available	1 x HSGS E27 150W 2900K 2870lm - RF20358 1 x LED E27 21W 3000K 2452lm - RF25315
Emergency	Without
Voltage	220-250V
Power	MAX 150W
Battery	No
Supply included	Yes
Cord Length	4000 mm
Materials	PMMA, Polycarbonate
Colors	<ul style="list-style-type: none"> F6257046 - Aluminized bronze F6257000 - Aluminized silver F6257000A - Transparent F6257030 - Fumée




KTribe Suspension 3 Eco

by Philippe Starck , 2005

Suspension lamp providing diffused light. PC (polycarbonate) inner diffuser, with opal white finish. Outer diffusers in transparent or fumée PMMA (polymethylmethacrylate), and silver or bronze on the inner surface, by vacuum aluminum coating.

Three stainless steel cables, length 3500 mm for suspension of the diffuser assembly.

White ceiling rose.



Mounting	Pendant
Environment	Indoor
Finish	Aluminized bronze, Aluminized silver, Fumée, Transparent
Weight	4.5 Kg
Light sources available	1 x FSMH G24q-4 42W 31-830 3000K 3200lm - RF14594
Emergency	Without
Voltage	220-240V
Power	42W
Battery	No
Supply included	Yes
Cord Length	3500 mm
Materials	PMMA, Polycarbonate
Colors	<ul style="list-style-type: none"> F6259000A - Transparent F6259000 - Aluminized silver F6259046 - Aluminized bronze F6259030 - Fumée




KTribe Suspension 3

by Philippe Starck , 2005

Suspension lamp providing diffused light. PC (polycarbonate) inner diffuser, with opal white finish. Outer diffusers in transparent or fumée PMMA (polymethylmethacrylate), and silver or bronze on the inner surface, by vacuum aluminum coating.

Three stainless steel cables, length 4000 mm for suspension of the diffuser assembly.

White ceiling rose.



Mounting	Pendant
Environment	Indoor
Finish	Aluminized bronze, Aluminized silver, Fumée, Transparent
Weight	4.5 Kg
Light sources available	1 x HSGS E27 205W 3000K Halolux Ceram.Eco 4200lm - RF19973 1 x LED E27 21W 3000K 2452lm - RF25315
Emergency	Without
Voltage	220-250V
Power	MAX 250W
Battery	No
Supply included	Yes
Cord Length	4000 mm
Materials	PMMA, Polycarbonate
Colors	<ul style="list-style-type: none"> F6258000 - Aluminized silver F6258000A - Transparent F6258046 - Aluminized bronze F6258030 - Fumée