Spun Light Table 1 Eco by Sebastian Wrong , 2003



Table/desk lamp providing diffused light. Spun metal frame and diffuser, die-cast aluminum diffuser support arms and lampholder support, painted in the colors indicated below. White, injectionmolded polycarbonate diffuser supports. Sandblasted pressed glass upper diffuser screen.

Mounting	Table
Environment	Indoor
Finish	Polished aluminum, MUD, Shiny black, Shiny white
Weight	4.3 Kg
Light sources available	1 x FSMH GX24q-3 26W 31-830 3000K 1800lm - RF14593
Emergency	Without
Voltage	220-240V
Power	26W
Battery	No
Supply included	Yes
Cord Length	1700 mm
Materials	Aluminum, Glass, Metal
Colors	 F6614009 - Shiny white F6614030 - Shiny black F6614021 - Mud F6614050 - Polished aluminium





CE F 10

Spun Light Table 1 by Sebastian Wrong , 2003



Table/desk lamp providing diffused light. Spun metal frame and diffuser, die-cast aluminum diffuser support arms and lampholder support, painted in the colors indicated below. White, injectionmolded polycarbonate diffuser supports. Sandblasted pressed glass upper diffuser screen. On the cable there is the electronic dimmer which allows the regulation of light brightness.

Mounting	Table
Environment	Indoor
Finish	Polished aluminum, MUD, Shiny black, Shiny white
Weight	4.3 Kg
Light sources available	1 x HSGS E27 105W 2700K 1980lm - RF19769 1 x LED E27 8W 2700K 740lm - RF25323 1 x LED E27 8W 3000K 740lm - RF25317
Emergency	Without
Switching	On the cable there is the electronic dimmer which allows the regulation of light brightness with a dial.
Voltage	220-240V
Power	MAX 150W
Battery	No
Supply included	Yes
Cord Length	1700 mm
Materials	Aluminum, Glass, Metal
Colors	 F6610009 - Shiny white F6610030 - Shiny black F6610021 - Mud F6610050 - Polished aluminium





Spun Light Table 2 Eco by Sebastian Wrong , 2003



Table/desk lamp providing diffused light. Spun metal frame and diffuser, die-cast aluminum diffuser support arms and lampholder support, painted in the colors indicated below. White, injectionmolded polycarbonate diffuser supports. Sandblasted pressed glass upper diffuser screen.

MountingTableEnvironmentIndoorFinishPolished aluminum, MUD, Shiny black, Shiny whiteWeight5.6 KgLight sources available1 x FSMH GX24q-3 26W 31-830 3000K 1800lm - RF14593EmergencyWithoutSwitchingON/OFF switch on cordVoltage220-240VPower26WBatteryNoSupply includedYesCord Length1700 mmMaterialsF6615009 - Shiny white F 6615030 - Shiny black F 6615021 - Mud F 6615050 - Polished aluminium		
FinishPolished aluminum, MUD, Shiny black, Shiny whiteWeight5.6 KgLight sources available1 x FSMH GX24q-3 26W 31-830 3000K 1800lm - RF14593EmergencyWithoutSwitchingON/OFF switch on cordVoltage220-240VPower26WBatteryNoSupply includedYesCord Length1700 mm Aluminum, Glass, MetalColorsF6615009 - Shiny white F6615021 - Mud	Mounting	Table
whiteWeight5.6 KgLight sources available1 x FSMH GX24q-3 26W 31-830 3000K 1800lm - RF14593EmergencyWithoutSwitchingON/OFF switch on cordVoltage220-240VPower26WBatteryNoSupply includedYesCord Length1700 mm Aluminum, Glass, MetalColorsF6615009 - Shiny white F6615030 - Shiny black F6615021 - Mud	Environment	Indoor
Light sources available1 x FSMH GX24q-3 26W 31-830 3000K 1800lm - RF14593EmergencyWithoutSwitchingON/OFF switch on cordVoltage220-240VPower26WBatteryNoSupply includedYesCord Length1700 mmMaterialsAluminum, Glass, MetalColorsF6615009 - Shiny white F6615030 - Shiny black F6615021 - Mud	Finish	
available- RF14593EmergencyWithoutSwitchingON/OFF switch on cordVoltage220-240VPower26WBatteryNoSupply includedYesCord Length1700 mmMaterialsAluminum, Glass, MetalColorsF6615009 - Shiny white F6615030 - Shiny black F6615021 - Mud	Weight	5.6 Kg
SwitchingON/OFF switch on cordVoltage220-240VPower26WBatteryNoSupply includedYesCord Length1700 mmMaterialsAluminum, Glass, MetalColorsF6615009 - Shiny white F6615030 - Shiny black F6615021 - Mud	Light sources available	
Voltage220-240VPower26WBatteryNoSupply includedYesCord Length1700 mmMaterialsAluminum, Glass, MetalColorsF6615009 - Shiny white F6615030 - Shiny black F6615021 - Mud	Emergency	Without
Power26WBatteryNoSupply includedYesCord Length1700 mmMaterialsAluminum, Glass, MetalColorsF6615009 - Shiny white F6615030 - Shiny black F6615021 - Mud	Switching	ON/OFF switch on cord
BatteryNoSupply includedYesCord Length1700 mmMaterialsAluminum, Glass, MetalColorsF6615009 - Shiny white F6615030 - Shiny black F6615021 - Mud	Voltage	220-240V
Supply included Yes Cord Length 1700 mm Materials Aluminum, Glass, Metal Colors F6615009 - Shiny white F6615030 - Shiny black F6615021 - Mud	Power	26W
Cord Length1700 mmMaterialsAluminum, Glass, MetalColorsF6615009 - Shiny whiteF6615030 - Shiny blackF6615021 - Mud	Battery	No
MaterialsAluminum, Glass, MetalColorsF6615009 - Shiny whiteF6615030 - Shiny blackF6615021 - Mud	Supply included	Yes
Colors F6615009 - Shiny white F6615030 - Shiny black F6615021 - Mud	Cord Length	1700 mm
 F6615030 - Shiny Wille F6615021 - Mud 	Materials	Aluminum, Glass, Metal
	Colors	 F6615030 - Shiny black F6615021 - Mud





Spun Light Table 2 by Sebastian Wrong , 2003

Table/desk lamp providing diffused light. Spun metal frame and diffuser, die-cast aluminum diffuser support arms and lampholder support, painted in the colors indicated below. White, injectionmolded polycarbonate diffuser supports. Sandblasted pressed glass upper diffuser screen. On the cable there is the electronic dimmer which allows the regulation of light brightness.

Mounting	Table
Environment	Indoor
Finish	Polished aluminum, MUD, Shiny black, Shiny white
Weight	5.6 Kg
Light sources available	1 x HSGS E27 205W 3000K Halolux Ceram.Eco 4200lm - RF19973 1 x LED E27 8W 2700K 740lm - RF25323
Emergency	Without
Switching	On the cable there is the electronic dimmer which allows the regulation of light brightness with a dial.
Voltage	220-240V
Power	MAX 250W
Battery	No
Supply included	Yes
Cord Length	1700 mm
Materials	Aluminum, Glass, Metal
Colors	 F6611009 - Shiny white F6611030 - Shiny black F6611021 - Mud

F6611050 - Polished aluminium



