


Galileo LED





Emanuele Ricci, 2013

Suspension with diffuser made of crystal (35mm thick)
 very accurately shaped, working as an optical lens.
 Metal parts are made of die-cast aluminium.
 The lighting source is a 18W-LED.
 Maximum consumption of the lamp 21W.
 The decentralizing kit is always included.



TECHNICAL DATAS	Product Name (code)	Galileo LED (380LD)
	Certificates	CE
	Norms	EN 60-598-1 (CEI 34-21)
	Light sources	1 x 18W-LED [3000K • 1800lm]
	Available	230V (Europe) - 120V (USA - Japan) - 240V (UK) <i>(fittings come with appropriate feeder)</i>
	Insulation Class	I
	Protection Class	IP20
	Packaging	0,026m³ - 4,7Kg


COLOURS	
	Brushed Nickel

FAMILY	 MAX 270	 MAX 300
	Galileo	Galileo LED
	 MAX 300	 MAX 300
	Galileo Mini	Galileo Mini LED

Galileo





Emanuele Ricci, 1998

Suspension with diffuser made of crystal (35mm thick) very accurately shaped, working as an optical lens. Metal parts are made of die-cast aluminium. The decentralizing kit is always included.



TECHNICAL DATAS	Product Name (code)	Galileo (380)
	Certificates	CE
	Norms	EN 60-598-1 (CEI 34-21)
	Light sources	MAX 100W-B15d (included - only for 230V)
	Available	230V (Europe) - 120V (USA - Japan) - 240V (UK)
	Insulation Class	I
	Protection Class	IP20
	Packaging	0,026m³ - 4,53Kg

COLOURS	
	Brushed Nickel

FAMILY		
	Galileo	Galileo LED
		
	Galileo Mini	Galileo Mini LED


Galileo LED Modular

Emanuele Ricci, 2013


Galileo LED can be combined in different configurations using dedicated ceiling roses and accessories.

PROFESSIONAL USE ONLY


Contact us for full information and assistance.



Galileo LED M




Ceiling Rose NOT included




Decentral Mount included



Galileo LED ML



Ceiling Rose NOT included



Decentral Mount included

CONFIGURATIONS

Galileo LED M/ML 2 x Galileo LED M/ML 2 x Galileo LED M/ML

3 x Galileo LED M/ML 3 x Galileo LED M/ML

CEILING ROSES

A B B1

ø16,5 ø16,5 ø16,5

h5 h6 h6

TRACK CONNECTION

Track (not supplied)
Adaptor (not supplied)