

**Substance**  
design naoto fukasawa  
2016




**Steel**  
Frame in steel tube chromed or painted in polyester powder.  
Seat in polypropylene.

**SD5080**

Frame - Seat:  
chromed - white 1735 C  
chromed - mustard 1015 C  
chromed - beige grey 1452 C  
chromed - black 1768 C

**SD5081**

white 5110 - white 1735 C  
white 5110 - mustard 1015 C  
white 5110 - beige grey 1452 C  
black 5140 - mustard 1015 C  
black 5140 - beige grey 1452 C  
black 5140 - black 1768 C



1	Kg	9,70	m <sup>3</sup>	0,308 (0,64x0,57x0,85)
		5,60		9401.79.00

**Test:**

Back impact test EN 1728:2012, L2  
Leg forward static load test EN 1728:2012, L2  
Safety requirements EN 16139:2013, L2  
Seat and back static load test EN 1728:2012, L2  
Seat impact test EN 1728:2012, L2  
Vertical load on back rest EN 1728:2012

Information for use EN 16139:2013, L2  
Leg sideways static load test EN 1728:2012, L2  
Seat and back fatigue test EN 1728:2012, L2  
Seat front edge durability test EN 1728:2012, L2  
Stability EN 1022:2005