

**Di giorno una
finestra è una
bellissima
lampada.** _____

**BY DAY A
WINDOW IS
A VERY
BEAUTIFUL
LAMP.**

GAE AULENTI

MARCO PAGNONCELLI



VERA








**VERA
ST**

VERA 31 | VERA 26 | VERA 21



Lampada a parete o soffitto in alluminio dalle differenti varianti colore e potenza luminosa LED | Orientabilità del disco luminoso a 360° parallelo alla parete e 90° perpendicolare alla parete | Illuminazione indiretta/diretta ad alta resa | Disponibile anche con LED K2700 | Disponibile anche nella versione dimmerabile 1-10V/push o DALI | **Alimentatore incluso.**
*Wall or ceiling aluminium light fitting with different finishes and wattages | Adjustable light disc, 360° parallel and 90° perpendicular | Direct/indirect high efficiency LED light emission | Also available in 2700°K LED color temperature | Also available in 1-10V/push or DALI dimmable version | **Driver included.***



Art.	W	V	Lumen	°K LED	A cm	B cm	C cm	LED
VERA 31	25,2	220	3897	3000	7/36	31	0,6	700mA CRI90
VERA 26	16,8	220	2598	3000	7/32	26	0,6	700mA CRI90
VERA 21	13,5	220	2100	3000	7/27	21	0,6	700mA CRI90


VERA ... TRIAC = DIMMERABILE TRIAC
 VERA ... DIM = DIMMERABILE 1-10V/PUSH
 VERA ... DALI = DIMMERABILE DALI

ALIMENTATORE INCLUSO | DRIVER INCLUDED.

VERA 66 | VERA 50



Lampada a parete o soffitto in alluminio dalle differenti varianti colore e potenza luminosa LED | Orientabilità del disco luminoso a 360° parallelo alla parete | Illuminazione indiretta/diretta ad alta resa | Disponibile anche con LED K2700 | Disponibile anche nella versione dimmerabile 1-10V/push o DALI | **Alimentatore incluso.**
*Wall or ceiling aluminium light fitting with different finishes and wattages | Adjustable light disc, 360° parallel | Direct/indirect high efficiency LED light emission | Also available in 2700°K LED color temperature | Also available in 1-10V/push or DALI dimmable version | **Driver included.***



Art.	W	V	Lumen	°K LED	A cm	B cm	C cm	LED
VERA 66	25,2	220	3897	3000	17	66	0,6	700mA CRI90
VERA 50	16,8	220	2598	3000	14	50	0,6	700mA CRI90

VERA ... TRIAC = DIMMERABILE TRIAC
 VERA ... DIM = DIMMERABILE 1-10V/PUSH
 VERA ... DALI = DIMMERABILE DALI


ALIMENTATORE INCLUSO | DRIVER INCLUDED.

Abbinamento colori | Color match:


Disco inferiore Lower disc (da 2mm 2mm thick)	Anello superiore Upper ring (da 6mm 6mm thick)
Bianco White	Rame bronzato Bronzed copper
Foglia oro Gold leaf	Ottone Brass
Foglia rame Copper leaf	Ruggine Rust
	Bianco White
	Nero Black
	Alluminio spatolato Brushed aluminium



Foglia oro / Bianco
Gold leaf / White



Foglia oro / Ruggine
Gold leaf / Rust



Foglia rame / Nero
Copper leaf / Black




Bianco / Alluminio spatolato
White / Brushed aluminium



Bianco / Rame bronzato
White / Bronzed copper




Bianco / Bianco
White / White



Bianco / Ottone
White / Brass



Bianco / Ruggine
White / Rust



Bianco / Nero
White / Black

VERA ST



Lampada da terra in alluminio dalle differenti varianti di colore | Disco cavo a LED ad alta efficienza | Disponibile anche con LED °K 2700 | **Alimentatore incluso.**
*Aluminum floor lamp with different color finishes | Hollow disc with high efficiency LEDs | Also available with 2700°K LED color temperature | **Driver included.***

Art.	W	V	Lumen	°K LED	A cm	B cm	C cm	D cm	LED
VERA ST	25,2	220	3897	3000	31	190	0,6	27	700mA CRI90

ALIMENTATORE INCLUSO | DRIVER INCLUDED.

