

VOLTA T-3534S

suspension

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Description

Suspension lamp with a straight metallic stem and cord.
Cylindrical aluminium head and acrylic (PMMA) lens diffuser.
Adjustable height.
50° angle acrylic optic lens conversion kit is optional.




Pictures above might not show the specified dimensions or material. They are for illustration purposes only.



Ordering information

Code	Lamp	Canopy	Finish body	Finish head
T-3534S-W	LED 6,1W (2700K / Ang 120° / >80 CRI / 350mA) Universal Voltage (included) Typ* 665 lumens A+	26 BLK Black 71 WH White	26 BLK Black 71 WH White CUSTOM	26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM
T-3534S-M	LED 6,1W (3000K / Ang 120° / >80 CRI / 350mA) Universal Voltage (included) Typ* 703 lumens A+			



Product includes

Code	Description
113534XX0	1 canopy for 1 single pendant
T-3534C	1 Volta pendant
671000038	1 driver / Non dimmable

Accessories

Code	Description
E67353001	50° angle acrylic optic lens conversion kit



SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

Special instructions

VOLTA T-3534R


suspension

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Ordering information

Code	Lamp
■ T-3534C-W	LED 6,1W (2700K / Ang 120° / >80 CRI / 350mA) Universal Voltage (included) Typ* 665 lumens A++
■ T-3534C-M	LED 6,1W (3000K / Ang 120° / >80 CRI / 350mA) Universal Voltage (included) Typ* 703 lumens A++



Canopy	
■ 26 BLK	Black
■ 71 WH	White



Finish body	
■ 26 BLK	Black
■ 71 WH	White
■ CUSTOM	

Finish head	
■ 26 BLK	Black
■ 61 S GLD	Satin Gold
■ 71 WH	White
■ CUSTOM	

Driver	Description
■ 671000038	DRIVER VOLTA 10W (Max. 1x6,1W) Universal Voltage Non Dimmable
■ 671000034	DRIVER VOLTA 20W (Min. 2x6,1W - Max. 3x6,1W) 120V / Dimmable Triac



Product includes

Code	Description
■ 113302XX0	1 cable entry disk false ceiling
■ T-3534C	1 Volta pendant
■ 6710000XX	1 driver

Accessories

Code	Description
■ E67353001	50° angle acrylic optic lens conversion kit

SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

Special instructions



VOLTA T-3534C



suspension

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Ordering information

Code	Lamp	Finish body	Finish head
■ T-3534C-W	■ LED 6,1W (2700K / Ang 120° / >80 CRI / 350mA) Universal Voltage (included) Typ* 665 lumens A++	■ 26 BLK Black ■ 71 WH White ■ CUSTOM	■ 26 BLK Black ■ 61 S GLD Satin Gold ■ 71 WH White ■ CUSTOM
■ T-3534C-M	■ LED 6,1W (3000K / Ang 120° / >80 CRI / 350mA) Universal Voltage (included) Typ* 703 lumens A++		

Driver	Description
■ 671000038  Ø 40mm drill on false ceiling	■ DRIVER VOLTA 10W (Max. 1x6,1W) Universal Voltage Non Dimmable
■ 671000034  Ø 50mm drill on false ceiling	■ DRIVER VOLTA 20W (Min. 2x6,1W - Max. 3x6,1W) 120 / Dimmable Triac



Product includes

Code	Description
■ T-3534C	■ 1 Volta pendant

Accessories

Code	Description
■ 6710000XX	■ 1 driver / Dimmable Triac o Non Dimmable
■ E67353001	■ 50° angle acrylic optic lens conversion kit

SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects.

Standard compositions bellow, other compositions available with multiple canopies. Consult our offices.

Special instructions


VOLTA T-3534C

suspension


Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Many possible configurations with T-3534C


Code	Composition includes	Temperature						
■ L73.3S	<ul style="list-style-type: none"> ■ 1 linear canopy 113415XX1 ■ 3 units of T-3534C ■ 1 driver / Dimmable Triac ■ Add up to 2 additional Volta 	<ul style="list-style-type: none"> ■ T-3534C-W (2700K / 665 lumens) ■ T-3534C-M (3000K / 703 lumens) 						
	<table border="1"> <tr> <th>Canopy</th> <th>Body</th> <th>Head</th> </tr> <tr> <td> <ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White </td> <td> <ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White ■ CUSTOM </td> <td> <ul style="list-style-type: none"> ■ 26 BLK Black ■ 61 S GLD Satin Gold ■ 71 WH White ■ CUSTOM </td> </tr> </table>	Canopy	Body	Head	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White ■ CUSTOM 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 61 S GLD Satin Gold ■ 71 WH White ■ CUSTOM 	
Canopy	Body	Head						
<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White ■ CUSTOM 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 61 S GLD Satin Gold ■ 71 WH White ■ CUSTOM 						



Code	Composition includes	Temperature						
■ L92.4S	<ul style="list-style-type: none"> ■ 1 linear canopy 113415XX3 ■ 4 units of T-3534C ■ 2 drivers / Dimmable Triac ■ Add up to 3 additional Volta 	<ul style="list-style-type: none"> ■ T-3534C-W (2700K / 665 lumens) ■ T-3534C-M (3000K / 703 lumens) 						
	<table border="1"> <tr> <th>Canopy</th> <th>Body</th> <th>Head</th> </tr> <tr> <td> <ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White </td> <td> <ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White ■ CUSTOM </td> <td> <ul style="list-style-type: none"> ■ 26 BLK Black ■ 61 S GLD Satin Gold ■ 71 WH White ■ CUSTOM </td> </tr> </table>	Canopy	Body	Head	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White ■ CUSTOM 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 61 S GLD Satin Gold ■ 71 WH White ■ CUSTOM 	
Canopy	Body	Head						
<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White ■ CUSTOM 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 61 S GLD Satin Gold ■ 71 WH White ■ CUSTOM 						



Code	Composition includes	Temperature						
■ L165.6S	<ul style="list-style-type: none"> ■ 1 linear canopy 113415XX7 ■ 6 units of T-3534C ■ 2 drivers / Dimmable Triac ■ Add additional Volta up to 5 	<ul style="list-style-type: none"> ■ T-3534C-W (2700K / 665 lumens) ■ T-3534C-M (3000K / 703 lumens) 						
	<table border="1"> <tr> <th>Canopy</th> <th>Body</th> <th>Head</th> </tr> <tr> <td> <ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White </td> <td> <ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White ■ CUSTOM </td> <td> <ul style="list-style-type: none"> ■ 26 BLK Black ■ 61 S GLD Satin Gold ■ 71 WH White ■ CUSTOM </td> </tr> </table>	Canopy	Body	Head	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White ■ CUSTOM 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 61 S GLD Satin Gold ■ 71 WH White ■ CUSTOM 	
Canopy	Body	Head						
<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White ■ CUSTOM 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 61 S GLD Satin Gold ■ 71 WH White ■ CUSTOM 						




VOLTA T-3534C


suspension

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Code	Composition includes	Temperature															
■ R40.3S	<ul style="list-style-type: none"> 1 round canopy 113415XX6 3 units of T-3534C 1 driver / Dimmable Triac 	<ul style="list-style-type: none"> T-3534C-W (2700K / 665 lumens) T-3534C-M (3000K / 703 lumens) 															
	<table border="1"> <thead> <tr> <th>Canopy</th> <th>Body</th> <th>Head</th> </tr> </thead> <tbody> <tr> <td>■ 26 BLK Black</td> <td>■ 26 BLK Black</td> <td>■ 26 BLK Black</td> </tr> <tr> <td>■ 71 WH White</td> <td></td> <td>■ 61 S GLD Satin Gold</td> </tr> <tr> <td></td> <td>■ 71 WH White</td> <td>■ 71 WH White</td> </tr> <tr> <td></td> <td>■ CUSTOM</td> <td>■ CUSTOM</td> </tr> </tbody> </table>	Canopy	Body	Head	■ 26 BLK Black	■ 26 BLK Black	■ 26 BLK Black	■ 71 WH White		■ 61 S GLD Satin Gold		■ 71 WH White	■ 71 WH White		■ CUSTOM	■ CUSTOM	
Canopy	Body	Head															
■ 26 BLK Black	■ 26 BLK Black	■ 26 BLK Black															
■ 71 WH White		■ 61 S GLD Satin Gold															
	■ 71 WH White	■ 71 WH White															
	■ CUSTOM	■ CUSTOM															



Code	Composition includes	Temperature															
■ R70.7S	<ul style="list-style-type: none"> 1 round canopy 113415XX4 7 units of T-3534C 3 drivers / Dimmable Triac 	<ul style="list-style-type: none"> T-3534C-W (2700K / 665 lumens) T-3534C-M (3000K / 703 lumens) 															
	<table border="1"> <thead> <tr> <th>Canopy</th> <th>Body</th> <th>Head</th> </tr> </thead> <tbody> <tr> <td>■ 26 BLK Black</td> <td>■ 26 BLK Black</td> <td>■ 26 BLK Black</td> </tr> <tr> <td>■ 71 WH White</td> <td></td> <td>■ 61 S GLD Satin Gold</td> </tr> <tr> <td></td> <td>■ 71 WH White</td> <td>■ 71 WH White</td> </tr> <tr> <td></td> <td>■ CUSTOM</td> <td>■ CUSTOM</td> </tr> </tbody> </table>	Canopy	Body	Head	■ 26 BLK Black	■ 26 BLK Black	■ 26 BLK Black	■ 71 WH White		■ 61 S GLD Satin Gold		■ 71 WH White	■ 71 WH White		■ CUSTOM	■ CUSTOM	
Canopy	Body	Head															
■ 26 BLK Black	■ 26 BLK Black	■ 26 BLK Black															
■ 71 WH White		■ 61 S GLD Satin Gold															
	■ 71 WH White	■ 71 WH White															
	■ CUSTOM	■ CUSTOM															



Code	Composition includes	Temperature															
■ R100.17S	<ul style="list-style-type: none"> 1 round canopy 113415XX5 17 units of T-3534C 6 drivers / Dimmable Triac 	<ul style="list-style-type: none"> T-3534C-W (2700K / 665 lumens) T-3534C-M (3000K / 703 lumens) 															
	<table border="1"> <thead> <tr> <th>Canopy</th> <th>Body</th> <th>Head</th> </tr> </thead> <tbody> <tr> <td>■ 26 BLK Black</td> <td>■ 26 BLK Black</td> <td>■ 26 BLK Black</td> </tr> <tr> <td>■ 71 WH White</td> <td></td> <td>■ 61 S GLD Satin Gold</td> </tr> <tr> <td></td> <td>■ 71 WH White</td> <td>■ 71 WH White</td> </tr> <tr> <td></td> <td>■ CUSTOM</td> <td>■ CUSTOM</td> </tr> </tbody> </table>	Canopy	Body	Head	■ 26 BLK Black	■ 26 BLK Black	■ 26 BLK Black	■ 71 WH White		■ 61 S GLD Satin Gold		■ 71 WH White	■ 71 WH White		■ CUSTOM	■ CUSTOM	
Canopy	Body	Head															
■ 26 BLK Black	■ 26 BLK Black	■ 26 BLK Black															
■ 71 WH White		■ 61 S GLD Satin Gold															
	■ 71 WH White	■ 71 WH White															
	■ CUSTOM	■ CUSTOM															

