



Dish6v Pendant Brass
GP-284



Available colors



Brass



Steel

| | North America | Europe |
|-------------------|---|---|
| Bulb | 4W LED, 120V (100-277V available) | 4W LED, 220-240V |
| Color temperature | 2700K | 2700K |
| Lumen output | 150lm | 150lm |
| Cord | Black, 6.5ft (16ft available) | Black, 2m (5m available) |
| Canopy | Black powder coated, Ø 5, H 1.4 (in) | Black powder coated, Ø 13, H 3.5 (cm) |
| Material | Brass, acrylic diffuser | Brass, acrylic diffuser |
| Size | Ø 6, D 2 (in) | Ø 14, D 5 (cm) |
| Weight | 1.92lbs | 0.87kg |
| Fire retardant | - | - |
| Country of origin | United States/The Netherlands | The Netherlands |
| Certification |  |  |

For use in a dry location. Brass will tarnish and become dull over time. Use a polishing cloth to remove the tarnish. Seal with wax as needed. Do not use aggressive detergent on brass.

**Designed in Seattle,
Washington, USA.**

Custom cords and canopies are available. Contact our offices for more information.



Dish6v Pendant Steel
GP-294

Available colors



Brass



Steel

| | North America | Europe |
|-------------------|---|---|
| Bulb | 4W LED, 120V (100-277V available) | 4W LED, 220-240V |
| Color temperature | 2700K | 2700K |
| Lumen output | 150lm | 150lm |
| Cord | Black, 6.5ft (16ft available) | Black, 2m (5m available) |
| Canopy | Black powder coated, Ø 5, H 1.4 (in) | Black powder coated, Ø 13, H 3.5 (cm) |
| Material | Stainless steel, acrylic diffuser | Stainless steel, acrylic diffuser |
| Size | Ø 6, D 2 (in) | Ø 14, D 5 (cm) |
| Weight | 1.92lbs | 0.87kg |
| Fire retardant | - | - |
| Country of origin | United States/The Netherlands | The Netherlands |
| Certification |  |  |

For use in a dry location. Brass will tarnish and become dull over time. Use a polishing cloth to remove the tarnish. Seal with wax as needed. Do not use aggressive detergent on brass.

Designed in Seattle,
Washington, USA.

Custom cords and canopies are available. Contact our offices for more information.



Dish10v Pendant
Brass
GP-285



Available colors



Brass



Steel

| | North America | Europe |
|-------------------|---|---|
| Bulb | 9W LED, 120V (100-277V available) | 9W LED, 220-240V |
| Color temperature | 2700K | 2700K |
| Lumen output | 300lm | 300lm |
| Cord | Black, 6.5ft (16ft available) | Black, 2m (5m available) |
| Canopy | Black powder coated, Ø 5, H 1.4 (in) | Black powder coated, Ø 13, H 3.5 (cm) |
| Material | Brass, acrylic diffuser | Brass, acrylic diffuser |
| Size | Ø 10, D 2 (in) | Ø 24, D 6 (cm) |
| Weight | 3.46lbs | 1.57kg |
| Fire retardant | - | - |
| Country of origin | United States/The Netherlands | The Netherlands |
| Certification |  |  |

For use in a dry location. Brass will tarnish and become dull over time. Use a polishing cloth to remove the tarnish. Seal with wax as needed. Do not use aggressive detergent on brass.

Designed in Seattle,
Washington, USA.

Custom cords and canopies are available. Contact our offices for more information.



Dish10v Pendant Steel
GP-295

Available colors



Brass



Steel

| | North America | Europe |
|-------------------|---|---|
| Bulb | 9W LED, 120V (100-277V available) | 9W LED, 220-240V |
| Color temperature | 2700K | 2700K |
| Lumen output | 300lm | 300lm |
| Cord | Black, 6.5ft (16ft available) | Black, 2m (5m available) |
| Canopy | Black powder coated, Ø 5, H 1.4 (in) | Black powder coated, Ø 13, H 3.5 (cm) |
| Material | Stainless steel, acrylic diffuser | Stainless steel, acrylic diffuser |
| Size | Ø 10, D 2 (in) | Ø 24, D 6 (cm) |
| Weight | 3.46lbs | 1.57kg |
| Fire retardant | - | - |
| Country of origin | United States/The Netherlands | The Netherlands |
| Certification |  |  |

For use in a dry location. Brass will tarnish and become dull over time. Use a polishing cloth to remove the tarnish. Seal with wax as needed. Do not use aggressive detergent on brass.


**Designed in Seattle,
Washington, USA.**

Custom cords and canopies are available. Contact our offices for more information.



Dish17v Pendant
Brass
GP-286



Available colors



Brass



Steel

| | North America | Europe |
|-------------------|---|---|
| Bulb | 17W LED, 120V (100-277V available) | 17W LED, 220-240V |
| Color temperature | 2700K | 2700K |
| Lumen output | 500lm | 500lm |
| Cord | Black, 6.5ft (16ft available) | Black, 2m (5m available) |
| Canopy | Black powder coated, Ø 5, H 1.4 (in) | Black powder coated, Ø 13, H 3.5 (cm) |
| Material | Brass, acrylic diffuser | Brass, acrylic diffuser |
| Size | Ø 17, D 3 (in) | Ø 42, D 7 (cm) |
| Weight | 7.85lbs | 3.56kg |
| Fire retardant | - | - |
| Country of origin | United States/The Netherlands | The Netherlands |
| Certification |  |  |

For use in a dry location. Brass will tarnish and become dull over time. Use a polishing cloth to remove the tarnish. Seal with wax as needed. Do not use aggressive detergent on brass.

Designed in Seattle,
Washington, USA.

Custom cords and canopies are available. Contact our offices for more information.




Dish17v Pendant Steel
GP-296

Available colors



Brass



Steel

| | North America | Europe |
|-------------------|---|---|
| Bulb | 17W LED, 120V (100-277V available) | 17W LED, 220-240V |
| Color temperature | 2700K | 2700K |
| Lumen output | 500lm | 500lm |
| Cord | Black, 6.5ft (16ft available) | Black, 2m (5m available) |
| Canopy | Black powder coated, Ø 5, H 1.4 (in) | Black powder coated, Ø 13, H 3.5 (cm) |
| Material | Stainless steel, acrylic diffuser | Stainless steel, acrylic diffuser |
| Size | Ø 17, D 3 (in) | Ø 42, D 7 (cm) |
| Weight | 7.85lbs | 3.56kg |
| Fire retardant | - | - |
| Country of origin | United States/The Netherlands | The Netherlands |
| Certification |  |  |

For use in a dry location. Brass will tarnish and become dull over time. Use a polishing cloth to remove the tarnish. Seal with wax as needed. Do not use aggressive detergent on brass.

Designed in Seattle,
Washington, USA.

Custom cords and canopies are available. Contact our offices for more information.