



Bell10 Pendant Natural GP-121

Available colors



Natural



White

	North America	Europe
Bulb	Max 15W LED, E26 (GU24 available), 120V	Max 15W LED, E27, 220V
Color temperature	2700K (recommended)	2700K (recommended)
Lumen output	Dependent on bulb	Dependent on bulb
Cord	Black, 6.5ft (16ft available)	Black fabric, 2m (5m available)
Canopy	Black powder coated, Ø 5, H 1 (in)	Black powder coated, Ø 10, H 2.5 (cm)
Material	Recycled corrugated cardboard	Recycled corrugated cardboard
Size	Ø 11, H 11 (in)	Ø 27, H 28 (cm)
Weight	1.21lbs	0.55kg
Fire retardant	Yes	Yes
Country of origin	United States/The Netherlands	The Netherlands
Certification		

For use in a dry location. Clean with a dry duster or compressed air. Shades are non-toxic, handmade, and manufactured using responsible practices.

Designed in Seattle, Washington, USA.

Custom cords and canopies are available. Contact our offices for more information.



Bell10 Pendant White GP-1121

Available colors



Natural



White

	North America	Europe
Bulb	Max 15W LED, E26 (GU24 available), 120V	Max 15W LED, E27, 220V
Color temperature	2700K (recommended)	2700K (recommended)
Lumen output	Dependent on bulb	Dependent on bulb
Cord	White, 6.5ft (16ft available)	White fabric, 2m (5m available)
Canopy	White powder coated, Ø 5, H 1 (in)	Gray powder coated, Ø 10, H 2.5 (cm)
Material	Corrugated cardboard	Corrugated cardboard
Size	Ø 11, H 11 (in)	Ø 27, H 28 (cm)
Weight	1.21lbs	0.55kg
Fire retardant	Yes	Yes
Country of origin	United States/The Netherlands	The Netherlands
Certification		

For use in a dry location. Clean with a dry duster or compressed air. Shades are non-toxic, handmade, and manufactured using responsible practices.

Designed in Seattle, Washington, USA.

Custom cords and canopies are available. Contact our offices for more information.



Bell16 Pendant Natural GP-122

Available colors



Natural



White

	North America	Europe
Bulb	Max 15W LED, E26 (GU24 available), 120V	Max 15W LED, E27, 220V
Color temperature	2700K (recommended)	2700K (recommended)
Lumen output	Dependent on bulb	Dependent on bulb
Cord	Black, 6.5ft (16ft available)	Black fabric, 2m (5m available)
Canopy	Black powder coated, Ø 5, H 1 (in)	Black powder coated, Ø 10, H 2.5 (cm)
Material	Recycled corrugated cardboard	Recycled corrugated cardboard
Size	Ø 15, H 16 (in)	Ø 38, H 40 (cm)
Weight	1.76lbs	0.80kg
Fire retardant	Yes	Yes
Country of origin	United States/The Netherlands	The Netherlands
Certification		

For use in a dry location. Clean with a dry duster or compressed air. Shades are non-toxic, handmade, and manufactured using responsible practices.

Designed in Seattle, Washington, USA.

Custom cords and canopies are available. Contact our offices for more information.



Bell16 Pendant White GP-1122

Available colors



Natural



White

	North America	Europe
Bulb	Max 15W LED, E26 (GU24 available), 120V	Max 15W LED, E27, 220V
Color temperature	2700K (recommended)	2700K (recommended)
Lumen output	Dependent on bulb	Dependent on bulb
Cord	White, 6.5ft (16ft available)	White fabric, 2m (5m available)
Canopy	White powder coated, Ø 5, H 1 (in)	Gray powder coated, Ø 10, H 2.5 (cm)
Material	Corrugated cardboard	Corrugated cardboard
Size	Ø 15, H 16 (in)	Ø 38, H 40 (cm)
Weight	1.76lbs	0.80kg
Fire retardant	Yes	Yes
Country of origin	United States/The Netherlands	The Netherlands
Certification		

For use in a dry location. Clean with a dry duster or compressed air. Shades are non-toxic, handmade, and manufactured using responsible practices.

Designed in Seattle, Washington, USA.

Custom cords and canopies are available. Contact our offices for more information.