

Drop18 Pendant Natural

GP-211

Available colors





Natural

White

	North America	Europe
Bulb	Max 15W LED, E26 (GU24 available), 120V	Max 15W LED, E27, 220V
Color temperature	2700K (recommended)	2700K (recommended)
Lumen output	Dependent on bulb	Dependent on bulb
Cord	Black, 6.5ft (16ft available)	Black fabric, 2m (5m available)
Canopy	Black powder coated, Ø 5, H 1 (in)	Black powder coated, Ø 10, H 2.5 (cm)
Material	Recycled corrugated cardboard	Recycled corrugated cardboard
Size	Ø 10, H 18 (in)	Ø 25, H 45 (cm)
Weight	1.43lbs	0.65kg
Fire retardant	Yes	Yes
Country of origin	United States/The Netherlands	The Netherlands

For use in a dry location. Clean with a dry duster or compressed air. Shades are non-toxic, handmade, and manufactured using responsible practices.

Designed in Seattle, Washington, USA.

Custom cords and canopies are available. Contact our offices for more information.



Certification



Drop18 Pendant White GP-1211

Available colors





Natural

White

	North America	Europe
Bulb	Max 15W LED, E26 (GU24 available), 120V	Max 15W LED, E27, 220V
Color temperature	2700K (recommended)	2700K (recommended)
Lumen output	Dependent on bulb	Dependent on bulb
Cord	White, 6.5ft (16ft available)	White fabric, 2m (5m available)
Canopy	White powder coated, Ø 5, H 1 (in)	Gray powder coated, Ø 10, H 2.5 (cm)
Material	Corrugated cardboard	Corrugated cardboard
Size	Ø 10, H 18 (in)	Ø 25, H 45 (cm)
Weight	1.43lbs	0.65kg
Fire retardant	Yes	Yes
Country of origin	United States/The Netherlands	The Netherlands

For use in a dry location. Clean with a dry duster or compressed air. Shades are non-toxic, handmade, and manufactured using responsible practices.

Designed in Seattle, Washington, USA.

Custom cords and canopies are available. Contact our offices for more information.



Certification



Drop26 Pendant Natural

GP-221

Available colors





Natural

White

	North America	Europe
Bulb	Max 15W LED, E26 (GU24 available), 120V	Max 15W LED, E27, 220V
Color temperature	2700K (recommended)	2700K (recommended)
Lumen output	Dependent on bulb	Dependent on bulb
Cord	Black, 6.5ft (16ft available)	Black fabric, 2m (5m available)
Canopy	Black powder coated, Ø 5, H 1 (in)	Black powder coated, Ø 10, H 2.5 (cm)
Material	Recycled corrugated cardboard	Recycled corrugated cardboard
Size	Ø 14, H 26 (in)	Ø 36, H 65 (cm)
Weight	2.20lbs	1.00kg
Fire retardant	Yes	Yes
Country of origin	United States/The Netherlands	The Netherlands
	_	

For use in a dry location. Clean with a dry duster or compressed air. Shades are non-toxic, handmade, and manufactured using responsible practices.

Designed in Seattle, Washington, USA.

Custom cords and canopies are available. Contact our offices for more information.



Certification



Drop26 Pendant White GP-1221

Available colors





Natural

White

	North America	Europe
Bulb	Max 15W LED, E26 (GU24 available), 120V	Max 15W LED, E27, 220V
Color temperature	2700K (recommended)	2700K (recommended)
Lumen output	Dependent on bulb	Dependent on bulb
Cord	White, 6.5ft (16ft available)	White fabric, 2m (5m available)
Canopy	White powder coated, Ø 5, H 1 (in)	Gray powder coated, Ø 10, H 2.5 (cm)
Material	Corrugated cardboard	Corrugated cardboard
Size	Ø 14, H 26 (in)	Ø 36, H 65 (cm)
Weight	2.20lbs	1.00kg
Fire retardant	Yes	Yes
Country of origin	United States/The Netherlands	The Netherlands

For use in a dry location. Clean with a dry duster or compressed air. Shades are non-toxic, handmade, and manufactured using responsible practices.

Designed in Seattle, Washington, USA.

Custom cords and canopies are available. Contact our offices for more information.



Certification