



Drum18 Pendant
Natural
GP-151

Available colors



Natural



White

	North America	Europe
Bulb	Max 3x15W LED, E26 (GU24 available), 120V	Max 3x15W LED, E27, 220V
Color temperature	2700K (recommended)	2700K (recommended)
Lumen output	Dependent on bulb	Dependent on bulb
Cord	Black, 6.5ft (16ft available)	Black fabric, 2m (5m available)
Canopy	Black powder coated, Ø 5, H 1 (in)	Black powder coated, Ø 10, H 2.5 (cm)
Material	Recycled corrugated cardboard, black powder-coated steel, glass diffuser	Recycled corrugated cardboard, black powder-coated steel, glass diffuser
Size	Ø 18, H 8 (in)	Ø 45, H 21 (cm)
Weight	7.72lbs	3.50kg
Fire retardant	Yes	Yes
Country of origin	United States/The Netherlands	The Netherlands
Certification		

For use in a dry location. Clean with a dry duster or compressed air. Shades are non-toxic, handmade, and manufactured using responsible practices.

Designed in Seattle,
Washington, USA.

Custom cords and canopies are available. Contact our offices for more information.



Drum18 Pendant
White
GP-1151



Available colors



Natural



White

	North America	Europe
Bulb	Max 3x15W LED, E26 (GU24 available), 120V	Max 3x15W LED, E27, 220V
Color temperature	2700K (recommended)	2700K (recommended)
Lumen output	Dependent on bulb	Dependent on bulb
Cord	White, 6.5ft (16ft available)	White fabric, 2m (5m available)
Canopy	White powder coated, Ø 5, H 1 (in)	Gray powder coated, Ø 10, H 2.5 (cm)
Material	Corrugated cardboard, gray powder-coated steel, glass diffuser	Corrugated cardboard, gray powder-coated steel, glass diffuser
Size	Ø 18, H 8 (in)	Ø 45, H 21 (cm)
Weight	7.72lbs	3.50kg
Fire retardant	Yes	Yes
Country of origin	United States/The Netherlands	The Netherlands
Certification		

For use in a dry location. Clean with a dry duster or compressed air. Shades are non-toxic, handmade, and manufactured using responsible practices.

Designed in Seattle,
Washington, USA.

Custom cords and canopies are available. Contact our offices for more information.



Drum24 Pendant
Natural
GP-152


Available colors



Natural



White

	North America	Europe
Bulb	Max 3x15W LED, E26 (GU24 available), 120V	Max 3x15W LED, E27, 220V
Color temperature	2700K (recommended)	2700K (recommended)
Lumen output	Dependent on bulb	Dependent on bulb
Cord	Black, 6.5ft (16ft available)	Black fabric, 2m (5m available)
Canopy	Black powder coated, Ø 5, H 1 (in)	Black powder coated, Ø 10, H 2.5 (cm)
Material	Recycled corrugated cardboard, black powder-coated steel, glass diffuser	Recycled corrugated cardboard, black powder-coated steel, glass diffuser
Size	Ø 24, H 9 (in)	Ø 61, H 24 (cm)
Weight	9.92lbs	4.50kg
Fire retardant	Yes	Yes
Country of origin	United States/The Netherlands	The Netherlands
Certification		

For use in a dry location. Clean with a dry duster or compressed air. Shades are non-toxic, handmade, and manufactured using responsible practices.

Designed in Seattle,
Washington, USA.

Custom cords and canopies are available. Contact our offices for more information.



Drum24 Pendant
White
GP-1152



Available colors



Natural



White

	North America	Europe
Bulb	Max 3x15W LED, E26 (GU24 available), 120V	Max 3x15W LED, E27, 220V
Color temperature	2700K (recommended)	2700K (recommended)
Lumen output	Dependent on bulb	Dependent on bulb
Cord	White, 6.5ft (16ft available)	White fabric, 2m (5m available)
Canopy	White powder coated, Ø 5, H 1 (in)	Gray powder coated, Ø 10, H 2.5 (cm)
Material	Corrugated cardboard, gray powder-coated steel, glass diffuser	Corrugated cardboard, gray powder-coated steel, glass diffuser
Size	Ø 24, H 9 (in)	Ø 61, H 24 (cm)
Weight	9.92lbs	4.50kg
Fire retardant	Yes	Yes
Country of origin	United States/The Netherlands	The Netherlands
Certification		

For use in a dry location. Clean with a dry duster or compressed air. Shades are non-toxic, handmade, and manufactured using responsible practices.

Designed in Seattle,
Washington, USA.

Custom cords and canopies are available. Contact our offices for more information.



Drum36 Pendant
Natural
GP-153



Available colors



Natural



White

	North America	Europe
Bulb	Max 3x15W LED, E26 (GU24 available), 120V	Max 3x15W LED, E27, 220V
Color temperature	2700K (recommended)	2700K (recommended)
Lumen output	Dependent on bulb	Dependent on bulb
Cord	Black, 6.5ft (16ft available)	Black fabric, 2m (5m available)
Canopy	Black powder coated, Ø 5, H 1 (in)	Black powder coated, Ø 10, H 2.5 (cm)
Material	Recycled corrugated cardboard, black powder-coated steel, glass diffuser	Recycled corrugated cardboard, black powder-coated steel, glass diffuser
Size	Ø 36, H 14 (in)	Ø 92, H 35 (cm)
Weight	21.80lbs	9.89kg
Fire retardant	Yes	Yes
Country of origin	United States/The Netherlands	The Netherlands
Certification		

For use in a dry location. Clean with a dry duster or compressed air. Shades are non-toxic, handmade, and manufactured using responsible practices.

Designed in Seattle,
Washington, USA.

Custom cords and canopies are available. Contact our offices for more information.



Drum36 Pendant
White
GP-1153



Available colors



Natural



White

	North America	Europe
Bulb	Max 3x15W LED, E26 (GU24 available), 120V	Max 3x15W LED, E27, 220V
Color temperature	2700K (recommended)	2700K (recommended)
Lumen output	Dependent on bulb	Dependent on bulb
Cord	White, 6.5ft (16ft available)	White fabric, 2m (5m available)
Canopy	White powder coated, Ø 5, H 1 (in)	Gray powder coated, Ø 10, H 2.5 (cm)
Material	Corrugated cardboard, gray powder-coated steel, glass diffuser	Corrugated cardboard, gray powder-coated steel, glass diffuser
Size	Ø 36, H 14 (in)	Ø 92, H 35 (cm)
Weight	21.80lbs	9.89kg
Fire retardant	Yes	Yes
Country of origin	United States/The Netherlands	The Netherlands
Certification		

For use in a dry location. Clean with a dry duster or compressed air. Shades are non-toxic, handmade, and manufactured using responsible practices.

Designed in Seattle,
Washington, USA.

Custom cords and canopies are available. Contact our offices for more information.