# MAK S110 | Upholstered stool

Patrick Norguet | 2012





As vibrant as the occasions it accompanies, MAK is a stool with an elegant line, a contrast of circles and curved lines that perfectly balance the column, the seat and footrest. Its character is informal and light-hearted.






### S110 | Upholstered stool swivel and height-adjustable H55 ÷ 80

Stool with swivel seat height adjustable. Metal frame powder coated back or white and seat upholstered in fabric, soft leather or eco-leather.

TEST EN 1728:2012 6.21 - EN 16139:2013 - L2 extreme



## 1 m AK S110 | Upholstered stool

#### Patrick Norquet | 2012

#### frame



powder coating

black

powder coating white 1 Colors

## seat

fabric Hallingdal 65 47 Colors









fabric Canvas 2 40 Colors

fabric

Medley



fabric

48 Colors

Steelcut Trio 3

fabric Swing 24 Colors



fabric Remix 2 24 Colors







fabric Clara 2 24 Colors



fabric Jet 44 Colors



fabric Fiord



fabric Laser J Flash 24 Colors



fabric Divina MD 24 Colors



soft-leather soft-leather 7 Colors



Divina Melange 2 24 Colors



ecoleather **GRIMM FR** 24 Colors

#### consult the porfolio for the range of colors, fabrics, eco-leather, soft-leather.

### use and maintenance instructions

Clean all parts in wood, leather, fabric and metal with a damp cloth or a diluted neutral cleaner. Do not use cleaners with alcohol, bleach, solvent or abrasive products. Any liquid spilt on the product must be wiped up immediately. When lifting or moving the product, hold it on the structure and not under the seat. The product should not be subjected to unbalanced weights, as it is designed for a proper rest on the foothold (on four legs or on the base). Our company relieves from any responsibility in case of damage caused to fragile floors. Avoid any improper use of the product: do not step on the product, on the footrest or on the armrests. Avoid any movements that could compromise the proper functionality of the product or the safety of the users. Wood and leather, being natural materials, could be easily damaged. Small impurities or imperfections are within quality standard range. Do not expose the product to weather conditions or atmospheric agents, nor to heat sources over 40°C. Also products for outdoor use could be afflicted by atmospheric agents. The product could undergo possible exterior changes due to particular exposure to heat, humidity and saltiness. An appropriate and frequent maintenance and cleaning of the product enhances its durability. The product could change colour and shade, if exposed to direct sunlight. Maintenance has to be carried out by experienced staff. Dispose of the package only after assembling the product, in order to avoid the loss of ironmongery and components. Once the product has been dismantled, the product itself or its components must be given to the public garbage disposal system, according to the legislation in force.