

m o o o i

# Construction Lamp Floor

JOOST VAN BLEISWIJK



The Construction lamp ultimately originates from a bright curiosity combined with expert skills, industrial tools and a touch of playful passion for vintage construction toys. As a result, the lamp's details and joints take the shape of Victorian cast iron components and become part of a base that resembles a traditional electricity pole. Enjoy a high voltage stream of inventiveness and light!

---


## *Detailing*




Just like vintage construction toys and scaffolding, the Construction Lamp is assembled by hand.

---

## *Colours*



Black



White


---

## *Construction Lamp Floor Large*

MOOOI.COM

## Dimensions

90 cm | 35.4"



## Product

**WIDTH** 90cm | 35.4"

**HEIGHT** 185cm | 72.8"

**DEPTH** 90cm | 35.4"

**DIAMETER** 90cm | 35.4"

**WEIGHT NETTO** 16kg | 35.27lbs

## Packaging

**WIDTH** 102cm | 40.2"

**HEIGHT** 202cm | 79.5"

**CUBAGE** 2.1m<sup>3</sup> | 74.22ft<sup>3</sup>

**LENGTH** 102cm | 40.2"

**WEIGHT** 44cm | 97lbs

---

## Technical CE

### MATERIAL

Diecast powdercoated aluminum, white version with wooden slats, bent steel shade.

### ENERGY LABEL

A++ to E

### NUMBER OF LIGHTSOURCES

4

### FREQUENCY

60

### DIMMABLE

Yes

### COLOUR

Black

### CABLE LENGTH

300cm | 118.1"

### LIGHT DIRECTION

All directions

### LIGHTSOURCE TYPE

Incandescent

### INPUT VOLTAGE

220-240

### MAX POWER CONSUMPTION

75W

### LAMPHOLDER

E27

### PLUG TYPE

Europlug (Type-C)

### SWITCH

In line slide dimmer with on/off switch

---

## Technical cULus

### MATERIAL

Diecast powdercoated aluminum, white version with wooden slats, bent steel shade.

### ENERGY LABEL

A++ to E

### NUMBER OF LIGHTSOURCES

4

### LIGHTSOURCE TYPE

Incandescent

### INPUT VOLTAGE

110-127

**FREQUENCY**

50

**DIMMABLE**

Yes

**COLOUR**

Black

**CABLE LENGTH**

300cm | 118.1"

**LIGHT DIRECTION**

All directions

**MAX POWER CONSUMPTION**

75W

**LAMPHOLDER**

E26

**PLUG TYPE**

US plug (Type A)


**SWITCH**

In line slide dimmer with on/off switch

## Construction Lamp Floor Medium

### Dimensions

67 cm | 26.4"



139 cm | 54.7"

### Product

**WIDTH** 67cm | 26.4"**HEIGHT** 139cm | 54.7"**DEPTH** 67cm | 26.4"**DIAMETER** 67cm | 26.4"**WEIGHT NETTO** 11kg | 24.25lbs

### Packaging

**WIDTH** 79cm | 31.1"**HEIGHT** 162cm | 63.8"**CUBAGE** 1.01m<sup>3</sup> | 35.7ft<sup>3</sup>**LENGTH** 79cm | 31.1"**WEIGHT** 28cm | 61.73lbs

### Technical CE

**MATERIAL**

Diecast powdercoated aluminum, white version with wooden slats, bent steel shade.

**ENERGY LABEL**

A++ to E

**NUMBER OF LIGHTSOURCES**

2

**FREQUENCY**

60

**DIMMABLE**

Yes

**COLOUR**

Black

**LIGHTSOURCE TYPE**

Incandescent

**INPUT VOLTAGE**

220-240

**MAX POWER CONSUMPTION**

75W

**LAMPHOLDER**

E27

**PLUG TYPE**

Europlug (Type-C)

**CABLE LENGTH**

300cm | 118.1"

**LIGHT DIRECTION**

All directions

**SWITCH**

In line slide dimmer with on/off switch

---

*Technical cULus***MATERIAL**

Diecast powdercoated aluminum, white version with wooden slats, bent steel shade.

**ENERGY LABEL**

A++ to E

**LIGHTSOURCE TYPE**

Incandescent

**NUMBER OF LIGHTSOURCES**

2

**INPUT VOLTAGE**

110-127

**FREQUENCY**

50

**MAX POWER CONSUMPTION**

75W

**DIMMABLE**

Yes

**LAMPHOLDER**

E26

**COLOUR**

Black

**PLUG TYPE**

US plug (Type A)

**CABLE LENGTH**

300cm | 118.1"

**SWITCH**

In line slide dimmer with on/off switch

**LIGHT DIRECTION**

All directions

---

*Dimmer*

For fluent dimming behaviour we advise a dimmer that is compatible with the following specs.

**DIMMER TYPE**

Dimmer on power cord

Please note the functioning of the dimmer and the power supply combination can never be predicted, it always needs to be tested in practice.