moooi

Paper Chandelier

STUDIO JOB



Did the idea of paper furniture ever strike your mind? Paper, cardboard and papier-mâché are familiar to all of us. They bring back memories of kindergarten and our first experiences of making things. Inspired by classic icons but manufactured like modern day furniture, this furniture collection is an ode to classical style and to the material.

Detailing



Designed by Studio Job, the Paper Chandelier is made of paper, cardboard and paper maché.


Colours

RAL 6010 Grass green White

Multicolour

Paper Chandelier L No Shades

Dimensions



Product

width 90cm | 35.4" HEIGHT 101.5cm | 40" DEPTH 90cm | 35.4" DIAMETER 90cm | 35.4" WEIGHT NETTO 10.5kg | 23.15lbs

Packaging

width 100cm | 39.4" HEIGHT 115cm | 45.3" CUBAGE 1.15m³ | 40.61ft³ LENGTH 100cm | 39.4" WEIGHT 18.5cm | 40.79lbs

Technical CE

MATERIAL

Wood and cardboard, finished with paper and polyurethane (PU) lacquer

ENERGY LABEL INSTALLATION REQUIRED

A++ to E

LIGHTSOURCE TYPE NUMBER OF LIGHTSOURCES

Incandescent

INPUT VOLTAGE FREQUENCY

220-240 50

MAX POWER CONSUMPTIONDIMMABLE12WYes

LAMPHOLDERE14
Black

CABLE LENGTH CANOPY

400cm | 157.5" Paper Canopy Matching RAL

All directions

Technical cULus

MATERIAL

Wood and cardboard, finished with paper and polyurethane (PU) lacquer

ENERGY LABEL INSTALLATION REQUIRED

A++ to E

LIGHTSOURCE TYPE

Incandescent

INPUT VOLTAGE

110-127

MAX POWER CONSUMPTION

12W

LAMPHOLDER

E12

CABLE LENGTH

400cm | 157.5"

LIGHT DIRECTION

All directions

NUMBER OF LIGHTSOURCES

6

FREQUENCY

60

DIMMABLE

Yes

COLOUR

Black

CANOPY

Chrome Canopy

Paper Chandelier L With Shades

Dimensions

100cm | 39.4"



Product

23.15lbs

WIDTH 100cm | 39.4"
HEIGHT 101.5cm | 40"
DEPTH 100cm | 39.4"
DIAMETER 100cm | 39.4"
WEIGHT NETTO 10.5kg |

Packaging

width 0cm | 0" HEIGHT 0cm | 0"

 $\textbf{cubage} \ 1.15 m^3 \ | \ 40.61 ft^3$

LENGTH 0cm | 0" **WEIGHT** 21cm | 46.3lbs

Technical CE

MATERIAL

Wood and cardboard, finished with paper and polyurethane (PU) lacquer

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

INPUT VOLTAGE

220-240

MAX POWER CONSUMPTION

12W

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

6

FREQUENCY

50

DIMMABLE

Yes

LAMPHOLDER

E14

CABLE LENGTH

400cm | 157.5"

All directions

colour Black

CANOPY

Paper Canopy Matching RAL

Technical cULus

MATERIAL

Wood and cardboard, finished with paper and polyurethane (PU) lacquer

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

INPUT VOLTAGE

110-127

MAX POWER CONSUMPTION

12W

LAMPHOLDER

E12

CABLE LENGTH

400cm | 157.5"

All directions

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

6

FREQUENCY

60

DIMMABLE

Yes

COLOUR

Black


CANOPY

Paper Canopy Matching RAL

Paper Chandelier XL No Shades

Dimensions

135 cm | 53.2"



Product

width 135cm | 53.1" HEIGHT 155cm | 61" DEPTH 135cm | 53.1" DIAMETER 135cm | 53.1" WEIGHT NETTO 63kg | 138.89lbs

Packaging

width 143cm | 56.3" height 90cm | 35.4" cubage 1.84m³ | 64.99ft³ length 143cm | 56.3" weight 91.5cm | 201.72lbs

Technical CE

MATERIAL

Wood and cardboard, finished with paper and polyurethane (PU) lacquer

ENERGY LABEL INSTALLATION REQUIRED

A++ to E Yes

LIGHTSOURCE TYPE NUMBER OF LIGHTSOURCES

Incandescent

INPUT VOLTAGE FREQUENCY

220-240 50

MAX POWER CONSUMPTIONDIMMABLE12WYes

LAMPHOLDERCOLOURE27Black

CABLE LENGTH CANOPY

400cm | 157.5" Paper Canopy White

All directions

Technical cULus

MATERIAL

Wood and cardboard, finished with paper and polyurethane (PU) lacquer

ENERGY LABEL INSTALLATION REQUIRED

A++ to E

LIGHTSOURCE TYPE NUMBER OF LIGHTSOURCES

Incandescent 6

INPUT VOLTAGE FREQUENCY

110-127 60

MAX POWER CONSUMPTIONDIMMABLE12WYes

LAMPHOLDERCOLOURE26Black

CABLE LENGTH CANOPY

400cm | 157.5" Chrome Canopy

All directions

Dimmer

For fluent dimming behaviour we advise a dimmer that is **DIMMER TYPE** compatible with the following specs.

always needs to be tested in practice.

Please note the functioning of the dimmer and the power supply combination can never be predicted, it

Mains dimmable with compatible light source