

m o o o i

Statistocrat Floor Lamp

ATELIER VAN LIESHOUT



The floor lamp's lean aluminium body is really multifunctional with its towering two meters and all-embracing light beams, the tallest shade projecting light towards the ceiling while the wider shade acts as the perfect reading lamp. And what about the two other shades? The lowest is no shade ... but a surprisingly useful side table. Perfect to support a laptop or your favorite drink, it's always in the spotlight!

Detailing



Statistocrat features Joep van Lieshout's signature raw weld finish.

Colours

RAL 1004
Golden yellow

RAL 1013
Oyster white

RAL 1023
Traffic yellow

RAL 1027
Curry

RAL 2000
Yellow orange

RAL 2002
Vermilion

RAL 2004
Pure orange

RAL 3003
Ruby red

RAL 3012
Beige red

RAL 5003
Sapphire blue

RAL 5008
Grey blue

RAL 6010
Grass green

RAL 6021
Pale green

RAL 7001
Silver grey

RAL 7011
Iron grey

RAL 7035
Light grey

RAL 7044
Silk grey

RAL 8001
Ochre brown

RAL 8014
Sepia brown

RAL 8016
Mahogany brown

RAL 9005
Jet black

RAL 9010
Pure white


RAL 9016
Traffic white

RAL 3015
Light pink

RAL 5024
Pastel blue

Statistocrat Floor Lamp

Dimensions



Product

WIDTH 130cm | 51.2"
HEIGHT 200cm | 78.7"
DEPTH 90cm | 35.4"
WEIGHT NETTO 23kg | 50.71lbs

Packaging

WIDTH 120cm | 47.2"
HEIGHT 215cm | 84.6"
CUBAGE 3.1m³ | 109.33ft³
LENGTH 120cm | 47.2"
WEIGHT 81cm | 178.57lbs

Technical CE

MATERIAL

Aluminium frame with structured matt powdercoating.

ENERGY LABEL

Energy Label B

LIGHTSOURCE INCLUDED

Yes

INPUT VOLTAGE

180-240

MAX POWER CONSUMPTION

40W

LAMPHOLDER

LED (Solid state)

PLUG TYPE

Europlug (Type-C)

SWITCH

In line on/off switch

CRI

80

LIGHT OUTPUT

1200 lm

LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

3

FREQUENCY

50/60

DIMMABLE

Yes

COLOUR

Black

CABLE LENGTH

300cm | 118.1"

COLOUR TEMPERATUE

2700 K

LIGHT DIRECTION

All directions

Technical CU

MATERIAL

Aluminium frame with structured matt powdercoating.

ENERGY LABEL

Energy Label B

LIGHTSOURCE TYPE

LED

LIGHTSOURCE INCLUDED

Yes

INPUT VOLTAGE

90-130

MAX POWER CONSUMPTION

40W

LAMPHOLDER

LED (Solid state)

PLUG TYPE

US plug (Type A)

SWITCH

In line on/off switch

CRI

80

LIGHT OUTPUT

1200 lm

NUMBER OF LIGHTSOURCES

3

FREQUENCY

50/60

DIMMABLE

Yes

COLOUR

Black

CABLE LENGTH

300cm | 118.1"

COLOUR TEMPERATUE

2700 K

LIGHT DIRECTION

All directions

Dimmer

For fluent dimming behaviour we advise a dimmer that is compatible with the following specs.

DIMMER TYPE

Integrated dimmer

Please note the functioning of the dimmer and the power supply combination can never be predicted, it always needs to be tested in practice.
