


Dandelion Suspended

RICHARD HUTTEN




True to its name, Dandelion was initially inspired by the plant that creates the famous and poetic 'dandelion snow' of fuzzy, cotton-like seeds when a gush of wind blows on it. The lamp transmits an explosive feeling of energy in motion, reaching towards us from its centre. Striking and pure self-generated energy to lighten up and blow away the heaviness of everyday life. Dandelion is truly a breath of fresh air.

Detailing



Due to the open structure of the rings, the Dandelion appears airy, as if it is ready to float with the wind at any given moment.

Colours



White

Dandelion Suspended

Dimensions

80cm | 31.5"



55cm | 21.7"

Product

WIDTH 80cm | 31.5"

HEIGHT 55cm | 21.7"

DEPTH 80cm | 31.5"

DIAMETER 80cm | 31.5"

WEIGHT NETTO 5.5kg | 12.13lbs

Packaging

WIDTH 87cm | 34.3"

HEIGHT 60cm | 23.6"

CUBAGE 0.45m³ | 15.85ft³

LENGTH 86cm | 33.9"

WEIGHT 11.5cm | 25.35lbs

Technical CE

MATERIAL

Laser-cut powder-coated aluminium and steel

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

INPUT VOLTAGE

220-240

MAX POWER CONSUMPTION

60W

LAMPHOLDER

E27

CABLE LENGTH

400cm | 157.5"

LIGHT DIRECTION

All directions

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

1

FREQUENCY

50/60

DIMMABLE

Yes

COLOUR

Black

CANOPY

Pebble II White, ABS

Technical cULus

MATERIAL

Laser-cut powder-coated aluminium and steel

ENERGY LABEL

A++ to E

LIGHTSOURCE TYPE

Incandescent

INSTALLATION REQUIRED

Yes

NUMBER OF LIGHTSOURCES

1

INPUT VOLTAGE

110-130

MAX POWER CONSUMPTION

60W

LAMPHOLDER

E26

CABLE LENGTH

400cm | 157.5"

LIGHT DIRECTION

All directions

FREQUENCY

50/60

DIMMABLE

Yes

COLOUR

Black

CANOPY

Chrome Canopy

Dimmer

For fluent dimming behaviour we advise a dimmer that is compatible with the following specs.

Please note the functioning of the dimmer and the power supply combination can never be predicted, it always needs to be tested in practice.

DIMMER TYPE

Mains dimmable with compatible light source