

FLAGSHIP

Év / Year
2019

HU Karfás szék szánkótalppal
EN Armchair with sled base

Tervező / Designer
Kerékgyártó András / András Kerékgyártó



PLYDESIGN

HU

A FLAGSHIP új nézőpontot emel be a karfás székek klasszikus műfajába. Az idompréselt rétegeltlemez technológiával kialakított szék palástja finoman öleli körbe a használó derekát, hatékony támasztást biztosítva; a puhán kihajlított szélek nemcsak kecses dinamikával színezik az összképet, hanem megelőzik a fájó bevágást a comb, a lapockák és a karok felületén; a karfa gondos mérés eredményeként teljes körű tartást biztosít a nyugvó pozíciót kereső karoknak. A kartámaszt és ülőlapot magában foglaló alsó rész és a háttámasz organikus egysége adja ki a palástot, melybe a szöveter kárpit elidegeníthetetlen részként olvad bele. A stíluspreferenciák tekintetében széles a lehetőségek tárháza – a vázak, lábak, és palástok szabadon párosíthatók, mivel az egyes alkatrészek illesztései kompatibilisek egymással.

Méretetek:

537 × 600 × 750 mm (H × Sz × M)

Ülés magasság: 450 mm

Ülésszélesség: 400 mm

Ülésmélység: 425 mm

Súly: 8,8 kg

EN

FLAGSHIP is a new take on the classic genre of armchair. The seat shell embraces gently the body providing sufficient support for the lumbar region, arms can be rested on a delicate lift at a perfect height, and the curved edges on the seat pan as well as on the back follow softly the lines of the thighs and back without cutting into them. The armrest and backrest form an inherent unity with the upholstery which conforms seamlessly to the composition. A wealth of possibilities is at disposal when it comes to stylistic preferences – bases, legs and shells are freely able to be combined as the joints of each parts are compatible with each other.

Dimensions:


537 × 600 × 750 mm (L × W × H)

Seat height: 450 mm

Seat width: 400 mm

Seat depth: 425 mm

Weight: 8,8 kg



Tanúsítványok / Certificates:

Stabilitás és biztonság / Stability and safety:
MSZ EN 12520:2016
MSZ EN 16139:2013

Felületi ellenállás / Surface resistance:
EN 12720:2009+A1:2013
SIS 83 91 17 2) or EN 15186 3)
EN 12722:2009+A1:2013
EN 12721:2009+A1:2013
NS 8061
EN ISO 105-E04:2013



Material & *colour options*

SHELLS

MATERIAL & COLOUR OPTIONS



American walnut



European oak



Bleached oak



Warm white



Peach



Claret



Blue



Green



Gray



Black

SLED BASE OF CHAIRS




Chrome plated




Black powder coated

AVE

KartalTex




AVE 1091



AVE 1045



AVE 1035



AVE 1027



AVE 1060



AVE 1058




AVE 1061




AVE 1009




AVE 1052



AVE 1014



AVE 1075



AVE 1076



AVE 1067



AVE 1070




AVE 1085

COMPOSITION	DURABILITY
100% Polyester.	35.000 Martindale

ERA

Camira
Designed by Penny Lovatt and
recoloured by Morwenna Fallows



CSE01



COMPOSITION	DURABILITY	LIGHTFASTNESS	PILLING	FLAMMABILITY*	ENVIRONMENT
100% Polyester. Non metallic dyestuffs	≥ 100.000 Martindale	5	Dry: 4 Wet: 4	EN 1021 - 1 (cigarette) EN 1021 - 2 (match) BS 7176 Low Hazard	OEKO-TEX® Standard 100 Indoor Advantage™ „Gold“

* Find more information at camirafabrics.com

STEP MELANGE

Gabriel
Designed by Inger Mosholt Nielsen



60004



COMPOSITION	DURABILITY	LIGHTFASTNESS	PILLING	FLAMMABILITY*	ENVIRONMENT
100% Trevira cs	100.000 Martindale	5-7	4-5	IMO MSC 307(88) Annex 1 part 8 MED Certificate IMO IMO MSC 307(88) Annex 1 part 8 UK	STANDARD 100 by OEKO-TEX® EU Ecolabel

* Find more information at gabriel.dk

ULTRA

Sørensen
Designed by Sørensen



41598

41599

41590

41573

41580

41575

41597

41589

41588

41585

41586

41584

41576

41583

41582

41581

41594

41593

41579

41578

41574

41587

41592

41571

41572

41566

41570

41569

41568

41567

COMPOSITION	LIGHTFASTNESS	PILLING	FLAMMABILITY*	ENVIRONMENT
Protected leather	6-7	Dry: 4-5 Wet: 4	BS EN 1021-1 and 2 CA TB 117-2013	Free of chrome VI

*Find more information at sorensenleather.com